

PRESSURE WASHER - PETROL HH3017 SERIES INDUSTRIAL COLD WATER

- Rugged construction and powerful industrial 13HP Honda motor
- Robust zinc plated 4 wheel frame
- Safety shut off gun
- Pistol and double or single lance
- Thermal dump valve
- Heavy duty by-pass valve, pressure gauge and filtration on all fittings
- Heavy duty triplex pump with ceramic plungers and stainless steel valves
- 2 to1 Gear box
- Slow rpm pump for longevity
- Electric start option is available (3017H ES)
- One year commercial warranty



Recommended hours of use per day



TECHNICAL SPECIFICATIONS

		3017H	3017H ES
Pump Pressure	bar/psi	210/3000	210/3000
Pump Speed	RPM	1750	1750
Water Flow	L/min	17	17
Maximum Temperature	Degrees Celcius	70	70
Motor	HP	13	13
Pistons		Ceramic	Ceramic
Weight	kg	72	73
Hose Length	m	10	10
Hose Type		3/8 inch two wire braid	
Fuel Tank	L	9	9

00HH3017H

13HP 3000PSI 17LPM

Part Number	Description	Quantity
BE85.660.007	T0878 RUBBER FOOT	2
E12.2014.00	3/8M - 1/4F BRASS ELBOW	1
E12.2050.00	3/8 FFF BRASS T	1
E13.0025.40	40000 KPA 6000 PSI P/M GAUGE	1
E26.0031.31	AR1 QC NIPPLE 3/8F - M22 (M212003620)	1
E26.0250.40	AR1 QC COUPLING 3/8F - M22	1
E26.0250.50	AR1 QC COUPLING 3/8M - M22	1
E28.0162.00	Y LINE STRAINER 1/2 F/F	1
E41.0919.00	500MM DOUBLE LANCE	1
E50.0000.00	B18 GEARBOX - 1" DRIVE SHAFT - 24MM PUMP	1
H HD88MF10	HOSE ASSY R2 3/8 10M	1
HP NMT1520IR	PUMP 3000PSI 15-18LPM 24MM SHAFT	1
IP ZK1LL	K1LL UNLOADER 3600PSI 9-40LPM	1
KB0015	3/8 BSP NIPPLE	1
H HD88B	WATER BLASTING HOSE 3/8 2 WIRE PER METRE	0.1
KB0051	1/2 BRASS NIPPLE	1
KB0029	3/4-1/2 NIPPLE	1
KB0036	12MM TAP ADAPTOR	1
KB0039B	3/8-1/2 PARRA NIPPLE BRASS	1
KB0269	3.50X6 WHEEL TO SUIT NEW FRAME	4
KB0270	4 WHEEL FRAME - NEW	1
M0215008210	3/8 THERMO VALVE	1
M4028000087	GUN + 1/2 LANCE M22 SWIVEL KERRICK AQUASHOT	1
MH GX390	HONDA ENGINE 13HP - GX390UT2QXUZ	1
NOZ DUMP 1/4 MEG	NOZZLE DUMP 1/4	1
NOZ WJ1/4 15 05	NOZZLE WASHJET SS 1/4 15/050	1
H PH5000 1/2FM	1/2 BSP FEMALE INSERT & FERRULE FOR 3/8 HOSE	1
H PH5000 3/8M	3/8 BSP MALE INSERT & FERRULE	1

Note: Parts listed are for standard units only. Variations may occur to meet individual customer needs and applications. Variations will also occur when units have been altered to meet clients requirements. Parts listed are indicative only and may be modified without notice.

00HH3017H ES

13HP 3000PSI 17LPM - ELECTRIC START

Part Number	Description	Quantity
BE85.660.007	T0878 RUBBER FOOT	2
E12.2006.00	3/8 MM BRASS ELBOW	1
E12.2050.00	3/8 FFF BRASS T	1
E13.0025.40	40000 KPA 6000 PSI P/M GAUGE	1
E26.0031.31	AR1 QC NIPPLE 3/8F - M22 (M212003620)	1
E26.0250.40	AR1 QC COUPLING 3/8F - M22	1
E26.0250.50	AR1 QC COUPLING 3/8M - M22	1
E28.0162.00	Y LINE STRAINER 1/2 F/F	1
E41.0919.00	500MM DOUBLE LANCE	1
E50.0000.00	B18 GEARBOX - 1" DRIVE SHAFT - 24MM PUMP	1
H HD88MF10	HOSE ASSY R2 3/8 10M	1
HP NMT1520IR	PUMP 3000PSI 15-18LPM 24MM SHAFT	1
IP ZK1LL	K1LL UNLOADER 3600PSI 9-40LPM	1
KB0015	3/8 BSP NIPPLE	1
H HD88B	WATER BLASTING HOSE 3/8 2 WIRE PER METRE	0.5
KB0051	1/2 BRASS NIPPLE	1
KB0029	3/4-1/2 NIPPLE	1
KB0036	12MM TAP ADAPTOR	1
KB0039B	3/8-1/2 PARRA NIPPLE BRASS	1
KB0269	3.50X6 WHEEL TO SUIT NEW FRAME	4
KB0270	4 WHEEL FRAME - NEW	1
E60.0630.50	VT6 THERMOSTATIC VALVE	1
M4028000087	GUN + 1/2 LANCE M22 SWIVEL KERRICK AQUASHOT	1
MH GX390/E	HONDA ENGINE 13HP - GX390UT2QXER	1
NOZ DUMP 1/4 MEG	NOZZLE DUMP 1/4	1
NOZ WJ1/4 15 05	NOZZLE WASHJET SS 1/4 15/050	1
KB0347	BATTERY HOLD DOWN (NEW TYPE)	1
FEDEX12	DEKA 12V 10AH AGM BATTERY	1
KB0277	900MM BATTERY CABLE Pair	1
E12.2014.00	3/8M - 1/4F BRASS ELBOW	1
H PH5000 1/2FM	1/2 BSP FEMALE INSERT & FERRULE FOR 3/8 HOSE	1
H PH5000 3/8M	3/8 BSP MALE INSERT & FERRULE	1

Note: Parts listed are for standard units only. Variations may occur to meet individual customer needs and applications. Variations will also occur when units have been altered to meet clients requirements. Parts listed are indicative only and may be modified without notice.