

## Powerful and safe dust extractor for hazardous dust

The VHS 42 M/H dust extractor series sets a new standard for design and feature level of the Nilfisk wet & dry vacuum portfolio. With an innovative filtration system, improved performance, robust design and dust class M/H certification, this range represents a superior solution for professional customers looking for a reliable machine to protect workers health and safety.

VHS 42 M/H comes with more suction power, sealed dust system, automatic filter cleaning and other user benefits - designed to meet the tough requirements in building & construction and other industries when picking up hazardous dust.

H Class models are only available to select dealers.

VHS 42 M/H offers a remarkable productivity thanks to the semi-automatic Push&Clean™ or automatic filter cleaning system InfiniClean™. The InfiniClean™ system ensures continuously cleaning of the filter during operation using a reversed air-flow pulse, keeping suction performance on a high level. Downtime is reduced significantly, as the container can be filled up without filter maintenance.

To minimise dust exposure during disposal several dust bag options are available to match the specific need in the hazardous dust application.

Also the washable PTFE long-life filter and the dual HEPA filter option

minimizes maintenance and reduces the overall service cost. A flow sensor with combined acoustic and LED warning monitors the filter and air flow to secure performance and filtration on the highest and safest level. Easy handling and user-friendliness - also when it comes to transportation from one working site to another - are other valuable features for the VHS 42 M/H dust extractor.



All models offer flexible storage solutions for tools and accessories, so everything you need is at hand.










Picture shown may not represent model quoted

- InfiniClean™ - Automatic filter cleaning system with minimised performance loss
- PTFE long-life filter with non-stick membrane and minimum 99,9% filtration efficiency
- Push&Clean™ - Semi-automatic filter cleaning system on selected models.
- Dust class M and H certification including Asbestos
- Unique dual filter solution available for H-class/HEPA - including 3-stage filtration
- Flow sensor with combined acoustic and LED warning
- Robust container with steel castors and bumper.
- MultiFit accessory system for the ultimate in task flexibility
- Flexible rubber straps, tool box storage and optional trolley handle for convenient storage and transport
- Optional motor cooling filter, exhaust air collector and Long-Life filter bag
- One year commercial warranty


● Standard equipment

Included accessories	Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
<b>Filter</b>					
 FILTER ELEMENT Ø140X75	107413555	0		●	
 FLAT FILTER PTFE 1 PC M	107413540	0	●	●	●
<b>System 36 Hose Vacuum Cleaner</b>					








Powerful and safe dust extractor for hazardous dust

Included accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	HOSE Ø36X4000 MM AS RED	107413544	0	•	•	•
<b>System 36 Tube</b>						
	CURVED HAND TUBE Ø36MM SS	46691	0	•	•	•
	EXTEN TUBE Ø36 2X505MM SS	107408074	0	•	•	•
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	•	•	•
<b>System 36 Vac Floor Nozzle</b>						
	FLOOR NOZZLE Ø36X300MM	302002331	0	•	•	
	INDST.FL.NOZZ.36X400MM	302003666	0			•
<b>System 36 Crevice/Cone Nozzle</b>						
	CREVICE NOZZLE D36X200	29541	0	•	•	•


• Standard equipment

Included accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
<b>Filter</b>						
	FILTER ELEMENT Ø140X75	107413555	0		•	
	FLAT FILTER PTFE 1 PC M	107413540	0	•	•	•

## Powerful and safe dust extractor for hazardous dust









Included accessories	Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
<b>System 36 Hose Vacuum Cleaner</b>					
 HOSE Ø36X4000 MM AS RED	107413544	0	•	•	•
<b>System 36 Tube</b>					
 CURVED HAND TUBE Ø36MM SS	46691	0	•	•	•
 EXTEN TUBE Ø36 2X505MM SS	107408074	0	•	•	•
 TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	•	•	•
<b>System 36 Vac Floor Nozzle</b>					
 FLOOR NOZZLE Ø36X300MM	302002331	0			
 INDST.FL.NOZZ.36X400MM	302003666	0	•	•	•
<b>System 36 Crevice/Cone Nozzle</b>					
 CREVICE NOZZLE D36X200	29541	0	•	•	•

• Standard equipment

Included accessories	Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
<b>Filter</b>			
 FILTER ELEMENT Ø140X75	107413555	0	

# NILFISK

Powerful and safe dust extractor for hazardous dust

Included accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/NZ
	FLAT FILTER PTFE 1 PC M	107413540	0	•
<b>System 36 Hose Vacuum Cleaner</b>				
	HOSE Ø36X4000 MM AS RED	107413544	0	•
<b>System 36 Tube</b>				
	CURVED HAND TUBE Ø36MM SS	46691	0	•
	EXTEN TUBE Ø36 2X505MM SS	107408074	0	•
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	•
<b>System 36 Vac Floor Nozzle</b>				
	FLOOR NOZZLE Ø36X300MM	302002331	0	
	INDST.FL.NOZZ.36X400MM	302003666	0	•
<b>System 36 Crevice/Cone Nozzle</b>				
	CREVICE NOZZLE D36X200	29541	0	•

Model	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
Ref. no.	107412161	107412163	107412166

PRODUCT FEATURES

Softstart	•	•	•
Dual filter system		•	



## Powerful and safe dust extractor for hazardous dust

Model	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
Ref. no.	107412161	107412163	107412166

## PRODUCT FEATURES

Anti-static system	•	•	•
Push&Clean filter cleaning	•	•	
M-class hazardous dust approval	•		•
H-class hazardous dust approval		•	
Storage of accessories	•	•	•
Hose and cable holder	•	•	•
InfiniClean			•
Disposal bag 1 pcs			•
Fleece filter bag 1 pcs.	•		•
Safety filter bag 1 pcs		•	

Model	VHS 42 L40 MC IC 220-240V 50/60HZ AU/NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/NZ
Ref. no.	107412168	107412169	107420412

## PRODUCT FEATURES

Softstart	•	•	
Dual filter system		•	
Anti-static system	•	•	
Push&Clean filter cleaning			
M-class hazardous dust approval	•		
H-class hazardous dust approval		•	
Storage of accessories	•	•	
Hose and cable holder	•	•	
InfiniClean	•	•	
Disposal bag 1 pcs	•		
Fleece filter bag 1 pcs.	•		
Safety filter bag 1 pcs		•	

Model	VHS 42 L30 HC IC 220-240V 50/60HZ AU/NZ
Ref. no.	107420416

## PRODUCT FEATURES

Softstart
Dual filter system

# NILFISK

## Powerful and safe dust extractor for hazardous dust

Model	VHS 42 L30 HC IC 220-240V 50/60HZ AU/NZ
Ref. no.	107420416

## PRODUCT FEATURES

Anti-static system  
 Push&Clean filter cleaning  
 M-class hazardous dust approval  
 H-class hazardous dust approval  
 Storage of accessories  
 Hose and cable holder  
 InfiniClean  
 Disposal bag 1 pcs  
 Fleece filter bag 1 pcs.  
 Safety filter bag 1 pcs

Technical specifications	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
Power Pmax (W)	1400	1400	1400
Power Piec (W)	1200	1200	1200
Mains connection (V/~ /Hz/A)	230/1/50-60/16	230/1/50-60/106	230/1/50-60/16
Airflow rate (L/min)	4500	4500	4500
Vacuum (mbar/kPa)	250/25	250/25	250/25
Working sound level (dB(A))	60	60	60
El cable (m)	7.5	7.5	7.5
Container volume (l-max)	30	30	42
Filter cleaning system	Push&Clean	Push&Clean	InfiniClean
Main filter type	PTFE	PTFE/Cellulose H-class	PTFE
Length x width x height (mm)	565x385x520	565x385x520	565x385x605
Weight (kg)	14.5	14.5	16

Technical specifications	VHS 42 L40 MC IC 220-240V 50/60HZ AU/NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/NZ
Power Pmax (W)	1400	1400	
Power Piec (W)	1200	1200	
Mains connection (V/~ /Hz/A)	230/1/50-60/10	230/1/50-60/10	
Airflow rate (L/min)	4500	4500	
Vacuum (mbar/kPa)	250/25	250/25	
Working sound level (dB(A))	60	60	
El cable (m)	7.5	7.5	





# NILFISK

## Powerful and safe dust extractor for hazardous dust

Technical specifications	VHS 42 L40 MC IC 220-240V 50/60HZ AU/NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/NZ
Container volume (l-max)	42	42	
Filter cleaning system	InfiniClean	InfiniClean	
Main filter type	PTFE	PTFE/Cellulose H-class	
Length x width x height (mm)	565x385x605	565x385x605	
Weight (kg)	16	16	

Technical specifications	VHS 42 L30 HC IC 220-240V 50/60HZ AU/NZ
Power Pmax (W)	
Power Piec (W)	
Mains connection (V/~/Hz/A)	
Airflow rate (L/min)	
Vacuum (mbar/kPa)	
Working sound level (dB(A))	
EI cable (m)	
Container volume (l-max)	
Filter cleaning system	
Main filter type	
Length x width x height (mm)	
Weight (kg)	

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
<b>System 36 Crevice/Cone Nozzle</b>					
 CREVICE NOZZLE D36X200	29541	0	●	●	●
 CREVICE NOZZLE Ø36X300 PP	6084	0	○	○	○
 CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	0	○	○	○
 DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	○	○	○

# NILFISK

All information provided in this document is subject to change without prior notice











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	FLAT NOZZLE Ø36MM RUBBER	40456	0	○	○	○
<b>System 50 Tube</b>						
	ADAPTER Ø 58-36 mmx124 mm	40452	0	○	○	○
	CURVED ALU EXT.TUBE D50X1000	15335	0	○	○	○
	CURVED HAND TUBE Ø50-36MM	15341	0	○	○	○
	ELBOW 90 Ø 50MM	5089	0	○	○	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	0	○	○	○
<b>System 36 Brush/Universal Nozzle</b>						
	BRUSH NOZZLE Ø36X70	5146	0	○	○	○
	BRUSH NOZZLE Ø36X230	6086	0	○	○	○
	OVAL BRUSH NOZZLE Ø36MM	40455	0	○	○	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	0	○	○	○
	SUCTION BRUSH D36 BLACK	302002509	0	○	○	○












## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	TURBINE HAND NOZZLE 150X	41275	0	○	○	○
	UNIV NOZZLE Ø36X150 ALU	5145	0	○	○	○
	UNIVERSAL NOZZLE D36X115	14295	0	○	○	○
<b>System 36 Vac Floor Nozzle</b>						
	COMBI NOZZLE 250X	302000962	0	○	○	○
	COMBI NOZZLE Ø36X260MM	302002365	0	○	○	○
	FLOOR NOZZLE 036 300MM	302000259	0	○	○	○
	FLOOR NOZZLE D36 W/D -KIT	107402706	0	○	○	○
	FLOOR NOZZLE Ø36X300MM	302002331	0	●	●	○
	FLOOR NOZZLE Ø36X330 ALU	5147	0	○	○	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	0	○	○	○
	INDST.FL.NOZZ.36X400MM	302003666	0	○	○	●











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	NOZZLE ALU. 450XØ36MM DRY	15348	0	○	○	○
	NOZZLE ALU. 450XØ36MM WET	15349	0	○	○	○
	WATER SUCTION NOZZLE Ø36X300	7270	0	○	○	○
<b>System 50 Brush/Universal Nozzle</b>						
	COARSE DIRT NOZZLE Ø50X175 PP	5153	0	○	○	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	0	○	○	○
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	0	○	○	○
<b>System 38 Hose Vacuum Cleaner</b>						
	HOSE D36X400MM	15365	0	○	○	○
	HOSE D38X5000 AS	107401368	0	○	○	○
	HOSE HEAT RES. 36X4000 FOR	6070	0	○	○	○
	SUCTION HOSE 38X4000	302002796	0	○	○	○
<b>System 50 Vac Floor Nozzle</b>						
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	0	○	○	○

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	GROUND NOZZLE	6077	0	○	○	○
	NOZZLE ALU. 500XØ50MM WET	15344	0	○	○	○
<b>Vacuum Accessory Set</b>						
	ANIMAL CARE KIT	6095	0	○	○	○
	CAR SET Ø36MM 3 PCS	63211	0	○	○	○
	CHIP SET D50MM	61681	0	○	○	○
	HIGH TEMPERATURE KIT D40 MULTIFIT	107420498	0	○	○	○
	HOME & OFFICE SET Ø36MM 5-PCS	63212	0	○	○	○
	HOSE SET Ø36MM 3 PCS	63210	0	○	○	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	0	○	○	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	0	○	○	○
	INDUSTRIAL SET 38	302002881	0	○	○	○












## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	OVEN CLEANING SET 3PCS	14341	0	○	○	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	0	○	○	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	0	○	○	○
	TRADE AND IND. SET Ø36MM 5-PCS	63213	0	○	○	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○	○	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	0	○	○	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	0	○	○	○
<b>System 27 Brush/Universal Nozzle</b>						
	CURRY-COMB	6092	0	○	○	○
	SPIKED CURRY COMB	6094	0	○	○	○
<b>System 50 Hose Vacuum Cleaner</b>						
	AS HOSED50X4000MM	15815	0	○	○	○
	HOSE	15182	0	○	○	○











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	HOSE 50MM 4M OIL RES	6468	0	○	○	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	0	○	○	○
	METAL HOSE Dia 50 x 4000m	15013	0	○	○	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	0	○	○	○
<b>System 50 Crevice/Cone Nozzle</b>						
	CREVICE NOZZLE Ø58,6X370 PE	7102	0	○	○	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	0	○	○	○
	FLAT NOZZLE RUBBER Ø50MM	31244	0	○	○	○
	ROUND NOZZLE Ø50MM RUBBER	19936	0	○	○	○
<b>System 38 Crevice/Cone Nozzle</b>						
	CREVICE NOZZLE 38MM	302002890	0	○	○	○
	PIPE CLEANING NOZZLE	8054	0	○	○	○
	TOOL ADAPTER	302002884	0	○	○	○
<b>System 27 Hose Vacuum Cleaner</b>						
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	0	○	○	○
	TOOL ADAPTER D27/36-24 AS	107404520	0	○	○	○
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	0	○	○	○
<b>System 32 Hose Vacuum Cleaner</b>						
	AS HOSED32X5000MM WITH	30657	0	○	○	○










## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	HOSE Ø32X4000MM AS RED	107413543	0	○	○	○
	HOSE SLEEVE Ø32 PVC	14682	0	○	○	○
<b>System 38 Tube</b>						
	ANODIZED ALUMINUM TUBE	15339	0	○	○	○
	CURVED HAND TUBE	302002889	0	○	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	0	○	○	○
	EXTENSION TUBES R38	107402474	0	○	○	○
<b>System 36 Hose Vacuum Cleaner</b>						
	HOSE Ø36X4000 AS EVA	63209	0	○	○	○
	HOSE Ø36X4000 MM AS RED	107413544	0	●	●	●
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0	○	○	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	0	○	○	○
	UNI. HOSE Ø36X3000MM EVA	15805	0	○	○	○









## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	○	○	○
	UNI. HOSE Ø36X4000MM EVA	25537	0	○	○	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	0	○	○	○
<b>System 36 Tube</b>						
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	0	○	○	○
	CURVED HAND TUBE Ø36MM SS	46691	0	●	●	●
	EXTEN TUBE Ø36 2X505MM SS	107408074	0	●	●	●
	EXTENSION TUBE D36	107416995	0	○	○	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	○	○	○
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	○	○	○
	EXTENSION TUBE D36 2X 500	107400032	0	○	○	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	0	○	○	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	○	○	○

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	•	•	•
	TOOL ADAPTER WITH SUCTION	107409977	0	○	○	○
	TOOL SOCKET	60916	0	○	○	○
<b>Disposal Bag</b>						
	DISPOSAL BAG 5PC	107417821	0	○	○	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○	○
<b>System 38 Vac Floor Nozzle</b>						
	38X400MM FLOOR NOZZLE	302002798	0	○	○	○
	FLOOR NOZZLE Ø38x450	302002799	0	○	○	○
<b>Filter</b>						
	FILTER ELEMENT Ø140X75	107413555	0	○	•	○
	FLAT FILTER PTFE 1 PC M	107413540	0	•	•	•
	HEPA FILTER COVER KIT	107413542	0	○	○	○
<b>Special Filter</b>						
	MOTOR COOLING AIR	107413541	0	○	○	○
<b>Filter Bag</b>						


Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 MC PC 220-240V 50/60HZ EU	VHS 42 L30 HC PC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 MC IC 220-240V 50/60HZ EU
	FLEECE FILTER BAG 5 PCS	107413547	0	○	○	○
	FLEECE FILTER BAG 5 PCS ATTIX 33/44	107419593	0	○	○	○
	LONG LIFE FILTER BAG 1	107413556	0	○	○	○
<b>Safety Filter Bag</b>						
	SAFETY FILTER BAG 5 PCS	107413549	0	○	○	○
<b>Other</b>						
	ADAPTER PLATE KIT	107413551	0	○	○	○
	FLEXIBLE STRAP SET 2 PCS	107413553	0	○	○	○
	STORAGE L-BOXX KIT W.	107413554	0	○	○	○
	TROLLEY HANDLE KIT	107413552	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
<b>System 36 Crevice/Cone Nozzle</b>						
	CREVICE NOZZLE D36X200	29541	0	●	●	●

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	CREVICE NOZZLE Ø36X300 PP	6084	0	○	○	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	0	○	○	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	○	○	○
	FLAT NOZZLE Ø36MM RUBBER	40456	0	○	○	○
<b>System 50 Tube</b>						
	ADAPTER Ø 58-36 mmx124 mm	40452	0	○	○	○
	CURVED ALU EXT.TUBE D50X1000	15335	0	○	○	○
	CURVED HAND TUBE Ø50-36MM	15341	0	○	○	○
	ELBOW 90 Ø 50MM	5089	0	○	○	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	0	○	○	○
<b>System 36 Brush/Universal Nozzle</b>						
	BRUSH NOZZLE Ø36X70	5146	0	○	○	○
	BRUSH NOZZLE Ø36X230	6086	0	○	○	○

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	OVAL BRUSH NOZZLE Ø36MM	40455	0	○	○	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	0	○	○	○
	SUCTION BRUSH D36 BLACK	302002509	0	○	○	○
	TURBINE HAND NOZZLE 150X	41275	0	○	○	○
	UNIV NOZZLE Ø36X150 ALU	5145	0	○	○	○
	UNIVERSAL NOZZLE D36X115	14295	0	○	○	○
<b>System 36 Vac Floor Nozzle</b>						
	COMBI NOZZLE 250X	302000962	0	○	○	○
	COMBI NOZZLE Ø36X260MM	302002365	0	○	○	○
	FLOOR NOZZLE 036 300MM	302000259	0	○	○	○
	FLOOR NOZZLE D36 W/D -KIT	107402706	0	○	○	○
	FLOOR NOZZLE Ø36X300MM	302002331	0	○	○	○










## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	FLOOR NOZZLE Ø36X330 ALU	5147	0	○	○	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	0	○	○	○
	INDST.FL.NOZZ.36X400MM	302003666	0	●	●	●
	NOZZLE ALU. 450XØ36MM DRY	15348	0	○	○	○
	NOZZLE ALU. 450XØ36MM WET	15349	0	○	○	○
	WATER SUCTION NOZZLE Ø36X300	7270	0	○	○	○
<b>System 50 Brush/Universal Nozzle</b>						
	COARSE DIRT NOZZLE Ø50X175 PP	5153	0	○	○	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	0	○	○	○
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	0	○	○	○
<b>System 38 Hose Vacuum Cleaner</b>						
	HOSE D36X400MM	15365	0	○	○	○
	HOSE D38X5000 AS	107401368	0	○	○	○

# NILFISK












All information provided in this document is subject to change without prior notice

Powerful and safe dust extractor for hazardous dust









Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/NZ
	HOSE HEAT RES. 36X4000 FOR	6070	0	○	○	○
	SUCTION HOSE 38X4000	302002796	0	○	○	○
<b>System 50 Vac Floor Nozzle</b>						
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	0	○	○	○
	GROUND NOZZLE	6077	0	○	○	○
	NOZZLE ALU. 500XØ50MM WET	15344	0	○	○	○
<b>Vacuum Accessory Set</b>						
	ANIMAL CARE KIT	6095	0	○	○	○
	CAR SET Ø36MM 3 PCS	63211	0	○	○	○
	CHIP SET D50MM	61681	0	○	○	○
	HIGH TEMPERATURE KIT D40 MULTIFIT	107420498	0	○	○	○
	HOME & OFFICE SET Ø36MM 5-PCS	63212	0	○	○	○
	HOSE SET Ø36MM 3 PCS	63210	0	○	○	○













## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	0	○	○	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	0	○	○	○
	INDUSTRIAL SET 38	302002881	0	○	○	○
	OVEN CLEANING SET 3PCS	14341	0	○	○	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	0	○	○	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	0	○	○	○
	TRADE AND IND. SET Ø36MM 5-PCS	63213	0	○	○	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○	○	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	0	○	○	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	0	○	○	○
<b>System 27 Brush/Universal Nozzle</b>						
	CURRY-COMB	6092	0	○	○	○











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	SPIKED CURRY COMB	6094	0	○	○	○
<b>System 50 Hose Vacuum Cleaner</b>						
	AS HOSED50X4000MM	15815	0	○	○	○
	HOSE	15182	0	○	○	○
	HOSE 50MM 4M OIL RES	6468	0	○	○	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	0	○	○	○
	METAL HOSE Dia 50 x 4000m	15013	0	○	○	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	0	○	○	○
<b>System 50 Crevice/Cone Nozzle</b>						
	CREVICE NOZZLE Ø58,6X370 PE	7102	0	○	○	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	0	○	○	○
	FLAT NOZZLE RUBBER Ø50MM	31244	0	○	○	○
	ROUND NOZZLE Ø50MM RUBBER	19936	0	○	○	○
<b>System 38 Crevice/Cone Nozzle</b>						
	CREVICE NOZZLE 38MM	302002890	0	○	○	○
	PIPE CLEANING NOZZLE	8054	0	○	○	○
	TOOL ADAPTER	302002884	0	○	○	○
<b>System 27 Hose Vacuum Cleaner</b>						
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	0	○	○	○

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/NZ
	TOOL ADAPTER D27/36-24 AS	107404520	0	○	○	○
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	0	○	○	○
<b>System 32 Hose Vacuum Cleaner</b>						
	AS HOSED32X5000MM WITH	30657	0	○	○	○
	HOSE Ø32X4000MM AS RED	107413543	0	○	○	○
	HOSE SLEEVE Ø32 PVC	14682	0	○	○	○
<b>System 38 Tube</b>						
	ANODIZED ALUMINUM TUBE	15339	0	○	○	○
	CURVED HAND TUBE	302002889	0	○	○	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	0	○	○	○
	EXTENSION TUBES R38	107402474	0	○	○	○
<b>System 36 Hose Vacuum Cleaner</b>						
	HOSE Ø36X4000 AS EVA	63209	0	○	○	○
	HOSE Ø36X4000 MM AS RED	107413544	0	●	●	●











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0	○	○	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	0	○	○	○
	UNI. HOSE Ø36X3000MM EVA	15805	0	○	○	○
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	○	○	○
	UNI. HOSE Ø36X4000MM EVA	25537	0	○	○	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	0	○	○	○
<b>System 36 Tube</b>						
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	0	○	○	○
	CURVED HAND TUBE Ø36MM SS	46691	0	●	●	●
	EXTEN TUBE Ø36 2X505MM SS	107408074	0	●	●	●
	EXTENSION TUBE D36	107416995	0	○	○	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	○	○	○
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	○	○	○

## Powerful and safe dust extractor for hazardous dust











Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	EXTENSION TUBE D36 2X 500	107400032	0	○	○	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	0	○	○	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	○	○	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	●	●	●
	TOOL ADAPTER WITH SUCTION	107409977	0	○	○	○
	TOOL SOCKET	60916	0	○	○	○
<b>Disposal Bag</b>						
	DISPOSAL BAG 5PC	107417821	0	○	○	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○	○
<b>System 38 Vac Floor Nozzle</b>						
	38X400MM FLOOR NOZZLE	302002798	0	○	○	○
	FLOOR NOZZLE Ø38x450	302002799	0	○	○	○
<b>Filter</b>						
	FILTER ELEMENT Ø140X75	107413555	0	○	●	○
	FLAT FILTER PTFE 1 PC M	107413540	0	●	●	●

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L40 MC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L40 HC IC 220-240V 50/60HZ AU/ NZ	VHS 42 L30 MC IC 220-240V 50/60HZ AU/ NZ
	HEPA FILTER COVER KIT	107413542	0	○	○	○
<b>Special Filter</b>						
	MOTOR COOLING AIR	107413541	0	○	○	○
<b>Filter Bag</b>						
	FLEECE FILTER BAG 5 PCS	107413547	0	○	○	○
	FLEECE FILTER BAG 5 PCS ATTIX 33/44	107419593	0	○	○	○
	LONG LIFE FILTER BAG 1	107413556	0	○	○	○
<b>Safety Filter Bag</b>						
	SAFETY FILTER BAG 5 PCS	107413549	0	○	○	○
<b>Other</b>						
	ADAPTER PLATE KIT	107413551	0	○	○	○
	FLEXIBLE STRAP SET 2 PCS	107413553	0	○	○	○
	STORAGE L-BOXX KIT W.	107413554	0	○	○	○
	TROLLEY HANDLE KIT	107413552	0	○	○	○

## Powerful and safe dust extractor for hazardous dust












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
<b>System 36 Crevice/Cone Nozzle</b>				
	CREVICE NOZZLE D36X200	29541	0	●
	CREVICE NOZZLE Ø36X300 PP	6084	0	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	0	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	○
	FLAT NOZZLE Ø36MM RUBBER	40456	0	○
<b>System 50 Tube</b>				
	ADAPTER Ø 58-36 mmx124 mm	40452	0	○
	CURVED ALU EXT.TUBE D50X1000	15335	0	○
	CURVED HAND TUBE Ø50-36MM	15341	0	○
	ELBOW 90 Ø 50MM	5089	0	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	0	○
<b>System 36 Brush/Universal Nozzle</b>				
	BRUSH NOZZLE Ø36X70	5146	0	○












# NILFISK

All information provided in this document is subject to change without prior notice











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	BRUSH NOZZLE Ø36X230	6086	0	○
	OVAL BRUSH NOZZLE Ø36MM	40455	0	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	0	○
	SUCTION BRUSH D36 BLACK	302002509	0	○
	TURBINE HAND NOZZLE 150X	41275	0	○
	UNIV NOZZLE Ø36X150 ALU	5145	0	○
	UNIVERSAL NOZZLE D36X115	14295	0	○
<b>System 36 Vac Floor Nozzle</b>				
	COMBI NOZZLE 250X	302000962	0	○
	COMBI NOZZLE Ø36X260MM	302002365	0	○
	FLOOR NOZZLE 036 300MM	302000259	0	○
	FLOOR NOZZLE D36 W/D -KIT	107402706	0	○












## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	FLOOR NOZZLE Ø36X300MM	302002331	0	○
	FLOOR NOZZLE Ø36X330 ALU	5147	0	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	0	○
	INDST.FL.NOZZ.36X400MM	302003666	0	●
	NOZZLE ALU. 450XØ36MM DRY	15348	0	○
	NOZZLE ALU. 450XØ36MM WET	15349	0	○
	WATER SUCTION NOZZLE Ø36X300	7270	0	○
<b>System 50 Brush/Universal Nozzle</b>				
	COARSE DIRT NOZZLE Ø50X175 PP	5153	0	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	0	○
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	0	○
<b>System 38 Hose Vacuum Cleaner</b>				
	HOSE D36X400MM	15365	0	○









## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	HOSE D38X5000 AS	107401368	0	○
	HOSE HEAT RES. 36X4000 FOR	6070	0	○
	SUCTION HOSE 38X4000	302002796	0	○
<b>System 50 Vac Floor Nozzle</b>				
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	0	○
	GROUND NOZZLE	6077	0	○
	NOZZLE ALU. 500XØ50MM WET	15344	0	○
<b>Vacuum Accessory Set</b>				
	ANIMAL CARE KIT	6095	0	○
	CAR SET Ø36MM 3 PCS	63211	0	○
	CHIP SET D50MM	61681	0	○
	HIGH TEMPERATURE KIT D40 MULTIFIT	107420498	0	○
	HOME & OFFICE SET Ø36MM 5-PCS	63212	0	○











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	HOSE SET Ø36MM 3 PCS	63210	0	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	0	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	0	○
	INDUSTRIAL SET 38	302002881	0	○
	OVEN CLEANING SET 3PCS	14341	0	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	0	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	0	○
	TRADE AND IND. SET Ø36MM 5-PCS	63213	0	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	0	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	0	○
<b>System 27 Brush/Universal Nozzle</b>				











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	CURRY-COMB	6092	0	○
	SPIKED CURRY COMB	6094	0	○
<b>System 50 Hose Vacuum Cleaner</b>				
	AS HOSED50X4000MM	15815	0	○
	HOSE	15182	0	○
	HOSE 50MM 4M OIL RES	6468	0	○
	HOSE HEAT RESIST. Ø 50X4000MM	11061	0	○
	METAL HOSE Dia 50 x 4000m	15013	0	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	0	○
<b>System 50 Crevice/Cone Nozzle</b>				
	CREVICE NOZZLE Ø58,6X370 PE	7102	0	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	0	○
	FLAT NOZZLE RUBBER Ø50MM	31244	0	○
	ROUND NOZZLE Ø50MM RUBBER	19936	0	○
<b>System 38 Crevice/Cone Nozzle</b>				
	CREVICE NOZZLE 38MM	302002890	0	○
	PIPE CLEANING NOZZLE	8054	0	○
	TOOL ADAPTER	302002884	0	○
<b>System 27 Hose Vacuum Cleaner</b>				











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	0	○
	TOOL ADAPTER D27/36-24 AS	107404520	0	○
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	0	○
<b>System 32 Hose Vacuum Cleaner</b>				
	AS HOSED32X5000MM WITH	30657	0	○
	HOSE Ø32X4000MM AS RED	107413543	0	○
	HOSE SLEEVE Ø32 PVC	14682	0	○
<b>System 38 Tube</b>				
	ANODIZED ALUMINUM TUBE	15339	0	○
	CURVED HAND TUBE	302002889	0	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	0	○
	EXTENSION TUBES R38	107402474	0	○
<b>System 36 Hose Vacuum Cleaner</b>				
	HOSE Ø36X4000 AS EVA	63209	0	○











## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	HOSE Ø36X4000 MM AS RED	107413544	0	•
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0	○
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	0	○
	UNI. HOSE Ø36X3000MM EVA	15805	0	○
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	○
	UNI. HOSE Ø36X4000MM EVA	25537	0	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	0	○
<b>System 36 Tube</b>				
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	0	○
	CURVED HAND TUBE Ø36MM SS	46691	0	•
	EXTEN TUBE Ø36 2X505MM SS	107408074	0	•
	EXTENSION TUBE D36	107416995	0	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	○


## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	○
	EXTENSION TUBE D36 2X 500	107400032	0	○
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	0	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	●
	TOOL ADAPTER WITH SUCTION	107409977	0	○
	TOOL SOCKET	60916	0	○
<b>Disposal Bag</b>				
	DISPOSAL BAG 5PC	107417821	0	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○
<b>System 38 Vac Floor Nozzle</b>				
	38X400MM FLOOR NOZZLE	302002798	0	○
	FLOOR NOZZLE Ø38x450	302002799	0	○
<b>Filter</b>				
	FILTER ELEMENT Ø140X75	107413555	0	○

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	FLAT FILTER PTFE 1 PC M	107413540	0	•
	HEPA FILTER COVER KIT	107413542	0	○
<b>Special Filter</b>				
	MOTOR COOLING AIR	107413541	0	○
<b>Filter Bag</b>				
	FLEECE FILTER BAG 5 PCS	107413547	0	○
	FLEECE FILTER BAG 5 PCS ATTIX 33/44	107419593	0	○
	LONG LIFE FILTER BAG 1	107413556	0	○
<b>Safety Filter Bag</b>				
	SAFETY FILTER BAG 5 PCS	107413549	0	○
<b>Other</b>				
	ADAPTER PLATE KIT	107413551	0	○
	FLEXIBLE STRAP SET 2 PCS	107413553	0	○
	STORAGE L-BOXX KIT W.	107413554	0	○

## Powerful and safe dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	VHS 42 L30 HC IC 220-240V 50/60HZ AU/ NZ
	TROLLEY HANDLE KIT	107413552	0	○