

### Ultimate industrial quality

The MC 7P industrial class cold water high pressure washer combines the renowned and unmatched lifetime and quality of the C3, 4 piston pump with optimal ergonomics and mobility to offer an innovative and unbeatable partner for applications in heavy industry, large agriculture, transport and valetting, shipping and food industry.

The MC 7P is equipped with the well-known industrial C3 pump: 4 ceramic pistons, double roller bearings, flow activated unloader system and 1450 rpm motor for high intensity use with maximum performance and comfort. Capable of accepting 85°C inlet water, the MC 7P can be used as an effective hot water cleaner if your environment permits. The pump is also known for use with salt water and in a wide range of harsh environments. The result is optimised workload, high cleaning efficiency, reduced downtime and long lifetime.

- C3 4 ceramic piston pump with 85°C inlet temperature
- Tough and sturdy design with 30mm steel frame
- Optimal storage and transport with foldable handle and easy lifting points
- High mobility with large rear wheels and front castor wheel
- Easy accessibility to pump
- Optimal service concept, Ergonomic accessory concept
- Flow activated control system
- Low pump oil safety function
- Water adjustment at pump head
- 2 detergent tanks and 2-way dosing valve










• Standard equipment





Picture shown may not represent model quoted

Included accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	ERGO COUPLING KIT	101119496	1	•	•
<b>High Pressure Male Coupling</b>					
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1		
<b>High Pressure Female Coupling</b>					
	HOSE NOZZLE 20R3/4	61369	1	•	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1		
<b>High Pressure Hose, DN10</b>					

Ultimate industrial quality

Included accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	HP HOSE DN10 10000 AGR-AGR	6101766	1		•
	HP HOSE DN10 15000 AGR-AGR	1402064	1		
<b>Non Blacking High Pressure Hose, DN10</b>					
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	1	•	
<b>Hose Reel</b>					
	HOSE REEL COMPLETE	106403143	0		
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•
<b>Tornado Lance</b>					
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•	
<b>PowerSpeed Vario Lance</b>					
	LANCE POWERSPEED VARIO	106403096	1		•
<b>TurboHammer Lance</b>					
	TURBOHAMMER PLUS	106402294	1		
<b>Tornado Nozzle with Indication Ring</b>					
	NOZZLE 0680 INDICATION RING GREY	101119747	1	•	

Ultimate industrial quality

Included accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1		
<b>Injector and Foam Sprayer</b>					
	FOAM INJECTOR	6401243	1		

Model	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
Ref. no.	107146802	107146815






PRODUCT FEATURES

Detergent tank	•	•
Stainless steel frame	•	
Three phase	•	•
C3 4-ceramic piston pump	•	•
Hose reel		
Robust steel chassis and frame	•	•
Food industry wheels and hose	•	
Pump oil warning system	•	•
Big wheels and convenient grip	•	•
Parking brake	•	•
Adjustable handle	•	•
Lance and spray gun storage	•	•
Cable storage	•	•
Ceramic pistons	•	•
Flow-activated control system	•	•
Delayed automatic start stop	•	•
2 x detergent injector	•	•
Water break tank		











Ultimate industrial quality

Technical specifications	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
Pump Pressure (bar/MPa)	195/19.5	195/19.5
Cleaning impact (kg/force)	6.7	6.7
Pump (RPM)	1450	1450
Power consumption (kW)	8	8
Voltage/phase/frequency/current (V/~/Hz/A)	400/3/50/14	400/3/50/14
Water flow Qmax/Qieq (l/h)	1280/1180	1280/1180
El cable (m)	8	8
Detergent tank capacity (L)	2 x 2.5	2 x 2.5
Nozzle size	.0680	.0680
Max. inlet temperature (°C)	85	85
Ceramic pistons	4	4
Length x width x height (mm)	775x570x1020	930x570x1020
Suction height dry (m)	1	1
Weight (kg)	89	89
Recommended avg. hours of use per day	7	7












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
<b>High Pressure Male Coupling</b>				
 ADAPPTOR M26 SCREW,KEW MA	66159	1	○	○
 ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○
 ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○
 GARDENA MALE 3/4 INCH	32541	1	○	○
 HOSE NOZZLE	1311	1	○	○












Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○
<b>High Pressure Female Coupling</b>					
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○	○
	GEKA COUPLING INT	1718	1	○	○
	HOSE NOZZLE 20R3/4	61369	1	●	●
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○
<b>Standard Nozzle 25° 1/8" NPT</b>					
	HP NOZZLE 25065 1/8 INCH NPT	7815	1	○	○
<b>Brush Washing</b>					
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○
<b>Special Nozzle</b>					











Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	DISTANCE-NOZZLE	2802696	1	<input type="radio"/>	<input type="radio"/>
	NOZZLE PROTECTION CAP PA	18430	1	<input type="radio"/>	<input type="radio"/>
<b>Liquid Sprayer</b>					
	ALTO 8P PRESPRAY UNIT	25598	1	<input type="radio"/>	<input type="radio"/>
	KEW LIQUID SPRAYER 5S	7110005	1	<input type="radio"/>	<input type="radio"/>
	KEW LIQUID SPRAYER 10SP	7110010	1	<input type="radio"/>	<input type="radio"/>
	LIQUYID SPRAYER 20S S/S	7110020	1	<input type="radio"/>	<input type="radio"/>
<b>TurboHammer Nozzle</b>					
	TURBOHAMMER NOZZLE W11 060	48982	1	<input type="radio"/>	<input type="radio"/>
	TURBOHAMMER NOZZLE W11 070	48981	1	<input type="radio"/>	<input type="radio"/>
<b>Filter Pressure Washer</b>					
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	1	<input type="radio"/>	<input type="radio"/>
	SUCTION FILTER	6400000	1	<input type="radio"/>	<input type="radio"/>
	WATER FILTER COMPLETE	107145802	0	<input type="radio"/>	<input type="radio"/>












Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
<b>Non Blacking High Pressure Hose, DN10</b>					
	GREY HOSE 20MTR FOR POSEI	1401991	1	○	○
	HOSE 30M NON-BLACKING	1402015	1	○	○
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	1	●	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	1	○	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	1	○	○
<b>High Pressure Hose, DN10</b>					
	HP HOSE DN10 3000 AGR-AGR	1402932	1	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	1	○	○
	HP HOSE DN10 10000 AGR-AGR	6101766	1	○	●
	HP HOSE DN10 15000 AGR-AGR	1402064	1	○	○
	HP HOSE DN10 20000 AGR-AGR	1402072	1	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	1	○	○












Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	HP HOSE DN10 30000 AGR-AGR	1402098	1	○	○
	HP HOSE DN10 50000 AGR-AGR	1402759	1	○	○
<b>Drain and Pipe Cleaning</b>					
	COUPLING - FEMALE/Q-COUP 3/8 INCH	106402075	1	○	○
	ERGO COUPLING KIT	101119496	1	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○
	NIPPEL F. Q-COUP 3/8 INCH	1600493	1	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	1	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○
	DRAIN NOZZLE 06. 3/8	2800894	1	○	○
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	1	○	○
<b>High Pressure Hose, DN12</b>					











Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	HP HOSE DN12 15000 AGR-AGR	4810213	0	○	○
	HP HOSE DN12 20000 AGR-AGR	4810214	0	○	○
<b>Abrasive Blasting</b>					
	ARMEX-POWDER X REF TO 100	5218617	1	○	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○	○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0	○	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○	○
<b>Brush Rotary</b>					
	BRISTLE. LONG	6401431	1	○	○
	ROTARY BRUSH 065 L1700 MM	6400016	1	○	○
<b>Special Lance</b>					
	CURVED LANCE L1090 MM	6402016	1	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○	○











Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
<b>Hose Reel</b>					
	HOSE REEL COMPLETE	106403143	0	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○	○
	HOSEREEL PAINTED	106403131	1	○	○
<b>Injector and Foam Sprayer</b>					
	03 INJECTOR COMPLETE	6401247	1	○	○
	DETERGENT TANK	107141635	0	○	○
	FOAM INJECTOR	6401243	1	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○	○
	FOAM INJECTOR STANDARD	6401244	1	○	○
	FOAM INJECTOR W BYPASS	6401242	1	○	○
	FOAM LANCE COMPL. LONG)	6404369	1	○	○












Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○
	HP HOSE L=300 MM W ERGO 3	301001311	1	○	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0	○	○
<b>Other</b>					
	SIDE BAR COMPL.	106402110	1	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	1	○	○
<b>Hose and Connection</b>					
	HOSE GUIDE COMPLETE	101118105	1	○	○
	NILFISK BA VALVE COMP. GARDENA	106411177	1	○	○
<b>Spray Gun</b>					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○
<b>Tornado Nozzle with Indication Ring</b>					

Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	NOZZLE 0680 INDICATION RING GREY	101119747	1	•	○
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1		
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○	○
<b>Short Lance</b>					
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○
<b>FlexoPower Lance</b>					
	FLEXOPOWER PLUS 960	106402282	1	○	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○
	LANCE FP-3000 920/N.NOZ.	106402281	1	○	○
<b>TurboHammer Lance</b>					
	TURBOHAMMER PLUS	106402294	1	○	○
<b>Tornado Lance</b>					
	TORNADO PLUS 630	106403013	1	○	○

Ultimate industrial quality

Accessories		Ref. no.	Min. required	MC 7P-195/1280 FFA 400/3/50 EU	MC 7P-195/1280 FA 415/3/50 AU
	TORNADO PLUS 1000 BEND	106403011	0	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●	○
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○
<b>Universal Lance</b>					
	UNIVERSAL PLUS 650 W/O	106403032	1	○	○
	UNIVERSAL PLUS 1080 W/O	106403033	1	○	○
	UNIVERSAL PLUS 1560 W/O	106403031	1	○	○
	UNIVERSAL PLUS 2060 W/O	106403030	1	○	○
	UNIVERSAL PLUS LANCE	106403034	1	○	○
	UNIVERSAL PLUS LANCE	106403035	1	○	○
	UNIVERSAL PLUS LANCE 940	106403036	1	○	○
<b>PowerSpeed Vario Lance</b>					
	LANCE POWERSPEED VARIO	106403096	1	○	●