

High-flow pressure cleaner for tough routine work

The high power premium class line - combining high pressure and high water flow levels for routine cleaning in agriculture, transport or food industries. The MC 8P is a simple machine - quick to install, easy to move around and comfortable to use.






Pressure levels of up to 180 bar and high water flow up to 2500 l/h depending on the model mean that even ingrained and resistant dirt can be cut away or loose dirt can be flushed in high quantities. Working time can be reduced significantly, bringing cleaning costs down.

- Tough steel or stainless steel frame variants
- Slow running 1450 rpm motors with low noise level
- Ceramic pistons for longer working life
- Simple and easy to use
- Parking brake
- 15 m HP hose
- One year commercial warranty
- Indent only





Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	ERGO COUPLING KIT	101119496	1	•
High Pressure Hose, DN10				
	HP HOSE DN10 15000 AGR-AGR	1402064	1	•
High Pressure Hose, DN12				
	HP HOSE DN12 15000 AGR-AGR	4810213	1	
Spray Gun				
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	
Tornado Lance				

High-flow pressure cleaner for tough routine work

Included accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	•
Tornado Nozzle with Indication Ring				
	NOZZLE 1200 INDICATION RING CARAMELE	101119758	1	•

Model	MC 8P-180/2100 400/3/50 EU
Ref. no.	301002534

PRODUCT FEATURES











Full ceramic pistons	•
Stainless steel frame	
SilentPower - 1450 rpm motor	•
Ergo accessory system	•
Parking brake	•
Pneumatic wheels	•
Automatic on/off and delayed action	•

Technical specifications	MC 8P-180/2100 400/3/50 EU
Pump Pressure (bar/MPa)	180/18
Cleaning impact (kg/force)	11.1
Pump (RPM)	1450
Power consumption (kW)	14
Voltage/phase/frequency/current (V~/Hz/A)	400/3/50/24
Water flow Qmax/Qiec (l/h)	2100/2050
El cable (m)	5
Nozzle size	.1200
Max. inlet temperature (°C)	50
Ceramic pistons	3
Length x width x height (mm)	900x660x910
Suction height dry (m)	1.5
Suction height - primed (m)	2.5
Weight (kg)	130
Recommended avg. hours of use per day	5













High-flow pressure cleaner for tough routine work












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
High Pressure Male Coupling				
	ADAPPTOR M26 SCREW, KEW MA	66159	1	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	1	○
	ADAPTOR M21 EXT X 3/8" EX	64540	1	○
	HOSE NOZZLE	1311	0	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○
	NITO COUPLING HOSE END 1	1604669	1	○
High Pressure Female Coupling				
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○
	GEKA COUPLING INT	1718	0	○
Brush Washing				
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○
	WASH BRUSH L1550 MM	6400088	1	○











High-flow pressure cleaner for tough routine work

Accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	WASH BRUSH L2350 MM	6400087	1	○
Special Nozzle				
	NOZZLE PROTECTION CAP PA	18430	1	○
Liquid Sprayer				
	ALTO 8P PRESPRAY UNIT	25598	0	○
	KEW LIQUID SPRAYER 5S	7110005	0	○
	KEW LIQUID SPRAYER 10SP	7110010	0	○
	LIQUYID SPRAYER 20S S/S	7110020	0	○
Filter Pressure Washer				
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○
	WATER FILTER COMPLETE	107145802	0	○
Non Blacking High Pressure Hose, DN10				
	GREY HOSE 20MTR FOR POSEI	1401991	1	○
	HOSE 30M NON-BLACKING	1402015	1	○











High-flow pressure cleaner for tough routine work

Accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	1	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	1	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	1	○
High Pressure Hose, DN10				
	HP HOSE DN10 3000 AGR-AGR	1402932	1	○
	HP HOSE DN10 5000 AGR-AGR	1402940	1	○
	HP HOSE DN10 10000 AGR-AGR	6101766	1	○
	HP HOSE DN10 15000 AGR-AGR	1402064	1	●
	HP HOSE DN10 20000 AGR-AGR	1402072	1	○
	HP HOSE DN10 25000 AGR-AGR	1402080	1	○
	HP HOSE DN10 30000 AGR-AGR	1402098	1	○
	HP HOSE DN10 50000 AGR-AGR	1402759	1	○












High-flow pressure cleaner for tough routine work

Accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○
	ERGO COUPLING KIT	101119496	1	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○
	NIPPEL F. Q-COUPPL. 3/8 INCH	1600493	1	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○
Hose and Connection				
	TWO USER DISTRIBUTOR	4809131	1	○
High Pressure Hose, DN12				
	HP HOSE DN12 15000 AGR-AGR	4810213	1	○
	HP HOSE DN12 20000 AGR-AGR	4810214	1	○
Hose Reel				
	HOSE REEL KIT P7 8 BLACK	301000202	1	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○







High-flow pressure cleaner for tough routine work

Accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	HOSE TROLLEY UP TO 50 M 3/8	6400170	0	○
	HOSEREEL PAINTED	106403131	0	○
Brush Rotary				
	BRISTLE. LONG	6401431	0	○
Spray Gun				
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●
	REP. KIT SWIVEL JOINT	101119484	0	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○
Tornado Nozzle with Indication Ring				
	NOZZLE 1200 INDICATION RING CARAMELE	101119758	1	●
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○
Other				
	SIDE BAR COMPL.	106402110	1	○
Short Lance				
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○

High-flow pressure cleaner for tough routine work

Accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○
FlexoPower Lance				
	FLEXOPOWER PLUS 960	106402282	0	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○
	LANCE FP-3000 920/N.NOZ.	106402281	0	○
Tornado Lance				
	TORNADO PLUS 630	106403013	0	○
	TORNADO PLUS 1000 BEND	106403011	0	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	0	○
Universal Lance				
	UNIVERSAL PLUS 650 W/O	106403032	0	○
	UNIVERSAL PLUS 1080 W/O	106403033	0	○
	UNIVERSAL PLUS 1560 W/O	106403031	0	○

High-flow pressure cleaner for tough routine work

Accessories		Ref. no.	Min. required	MC 8P-180/2100 400/3/50 EU
	UNIVERSAL PLUS 2060 W/O	106403030	0	○
	UNIVERSAL PLUS LANCE	106403034	0	○
	UNIVERSAL PLUS LANCE	106403035	0	○
	UNIVERSAL PLUS LANCE 940	106403036	0	○
PowerSpeed Vario Lance				
	POWERSPEED VARIO PLUS	106403111	0	○
	POWERSPEED VARIOLANCE L.1	106403112	0	