

Premium performance, lifetime and ergonomics

The MC 6P industrial class cold water pressure washers bring together unbeatable lifetime, high cleaning performance and optimal ergonomics for the most all-round and value for money range of heavy duty cleaners for demanding customers in industry, heavy agriculture, shipping, transport and food industry.





The MC 6P is equipped with the NA6 wobble disc pump with 4 ceramic pistons and robust construction optimised for intense use greater than 5 hours per day. The NA6 pump is inspired by our longest lasting and renowned pump and offers unbeatable lifetime as well as the possibility to be fed with 80°C inlet water, converting your cold water washer to a hot water unit for even greater cleaning efficiency and lowered cleaning costs.

- NA6 4 ceramic piston pump with 80°C inlet temp
- Tough and sturdy design with 30mm steel frame
- Optimal storage and transport with foldable handle and easy lifting points
- High mobility with large rear wheels and front castor wheel
- Easy accessibility to pump, optimal service concept
- Ergonomic accessory concept
- Flow activated control system
- Low pump oil safety function
- Water adjustment at pump head
- 2 way chemical dosing valve
- 2 detergent tanks













Picture shown may not represent model quoted









• Standard equipment

Included accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	ERGO COUPLING KIT	101119496	1	•
<b>High Pressure Female Coupling</b>				
	HOSE NOZZLE 20R3/4	61369	1	•
	QUICK COUPLING 3/4 W/GASKET	1602945	1	
<b>High Pressure Hose, DN8</b>				
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	
<b>High Pressure Hose, DN10</b>				

Premium performance, lifetime and ergonomics

Included accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	HP HOSE DN10 10000 AGR-AGR	6101766	1	•
	HP HOSE DN10 15000 AGR-AGR	1402064	1	
<b>Non Blacking High Pressure Hose, DN10</b>				
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	1	
<b>Hose Reel</b>				
	HOSE REEL COMPLETE	106403143	1	
<b>Spray Gun</b>				
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	
<b>Tornado Lance</b>				
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	•
<b>TurboHammer Lance</b>				
	TURBOHAMMER PLUS	106402294	1	
	TURBOHAMMER PLUS 1125	106402291	1	
	TURBOHAMMER PLUS 1125	106402292	0	
<b>Tornado Nozzle with Indication Ring</b>				

Premium performance, lifetime and ergonomics

Included accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	NOZZLE 0500 INDICATION RING YELLOW	101119741	0	
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	0	
	NOZZLE 0680 INDICATION RING GREY	101119747	1	
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	
	TORNADO NOZZLE 0475	301150005	0	•
	TORNADO NOZZLE 1300 1/8'	101119760	1	
	TORNADO NOZZLE 1500 1/8'	101119762	0	
<b>Injector and Foam Sprayer</b>				
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0	

Model MC 6P-250/1100 FA  
415/3/50 AU

Ref. no. 107146767

PRODUCT FEATURES

Detergent tank	•
Stainless steel frame	
Three phase	•
Hose reel	
Robust steel chassis and frame	•
Food industry wheels and hose	



Premium performance, lifetime and ergonomics

Model MC 6P-250/1100 FA  
415/3/50 AU

Ref. no. 107146767

PRODUCT FEATURES

Pump oil warning system	
Big wheels and convenient grip	•
Parking brake	•
Adjustable handle	•
Lance and spray gun storage	•
Cable storage	•
Ceramic pistons	•
Flow-activated control system	•
NA6 - 4 ceramic piston pump	•
Delayed automatic start stop	•
2 x detergent injector	•

Technical specifications MC 6P-250/1100 FA  
415/3/50 AU












Pump Pressure (bar/MPa)	250/25
Cleaning impact (kg/force)	6.4
Pump (RPM)	1750
Power consumption (kW)	8.5
Voltage/phase/frequency/current (V~/Hz/A)	220-230/440-460/3/- 60/14
Water flow Qmax/Qiec (l/h)	1300/1200
El cable (m)	8
Nozzle size	.0475
Max. inlet temperature (°C)	80
Ceramic pistons	4
Length x width x height (mm)	775x570x1020
Suction height dry (m)	1
Weight (kg)	89
Recommended avg. hours of use per day	6

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment










Accessories	Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
<b>Standard Nozzle 50° 1/8" NPT</b>			














Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	HP NOZZLE 50070 1/8	5007	0	
<b>High Pressure Male Coupling</b>				
	ADAPPTOR M26 SCREW,KEW MA	66159	1	○
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○
	GARDENA MALE 3/4 INCH	32541	1	○
	HOSE NOZZLE	1311	1	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○
	NITO COUPLING HOSE END 1	1604669	1	○
<b>High Pressure Female Coupling</b>				
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	1	○
	GEKA COUPLING INT	1718	1	○
	HOSE NOZZLE 20R3/4	61369	1	●












Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○
<b>Standard Nozzle 25° 1/8" NPT</b>				
	HP NOZZLE 25045 1/8	8528	1	○
	HP NOZZLE 25065 1/8 INCH NPT	7815	1	
	HP NOZZLE 25070 1/8 INCH NPT	2507	0	
	HP-NOZZLE 2505 1/8	7813	1	
<b>Standard Nozzle 0° 1/8" NPT</b>				
	HP-NOZZLE 0050 1/8	17387	1	
	STANDARD HP-NOZZLE 0070	7820	0	
<b>Brush Washing</b>				
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○
	WASH BRUSH L1550 MM	6400088	1	○
	WASH BRUSH L2350 MM	6400087	1	○
<b>Special Nozzle</b>				












Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	CONTAINER CLEANING NOZZLE	15861	1	○
	DISTANCE-NOZZLE	2802696	1	○
	NOZZLE PROTECTION CAP PA	18430	1	○
<b>Liquid Sprayer</b>				
	ALTO 8P PRESPRAY UNIT	25598	1	○
	KEW LIQUID SPRAYER 5S	7110005	1	○
	KEW LIQUID SPRAYER 10SP	7110010	1	○
	LIQUYID SPRAYER 20S S/S	7110020	1	○
<b>Standard Nozzle 15° 1/8" NPT</b>				
	HP NOZZLE 15050 1/8	41394	0	
<b>TurboHammer Nozzle</b>				
	TURBOHAMMER NOZZLE W11 050	48872	1	
	TURBOHAMMER NOZZLE W11 070	48981	1	
	TURBOHAMMER NOZZLE W12 050	301001108	1	○












Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
<b>Filter Pressure Washer</b>				
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	1	○
	SUCTION FILTER	6400000	1	○
	WATER FILTER COMPLETE	107145802	0	○
<b>Non Blacking High Pressure Hose, DN10</b>				
	GREY HOSE 20MTR FOR POSEI	1401991	1	○
	HOSE 30M NON-BLACKING	1402015	1	○
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	1	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	1	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	1	○
<b>High Pressure Hose, DN10</b>				
	HP HOSE DN10 3000 AGR-AGR	1402932	1	○
	HP HOSE DN10 5000 AGR-AGR	1402940	1	○
	HP HOSE DN10 10000 AGR-AGR	6101766	1	●












Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	HP HOSE DN10 15000 AGR-AGR	1402064	1	○
	HP HOSE DN10 20000 AGR-AGR	1402072	1	○
	HP HOSE DN10 25000 AGR-AGR	1402080	1	○
	HP HOSE DN10 30000 AGR-AGR	1402098	1	○
	HP HOSE DN10 50000 AGR-AGR	1402759	1	○
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○
	ERGO COUPLING KIT	101119496	1	●
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○
	NIPPEL F. Q-COUPPL. 3/8 INCH	1600493	1	○
	NIPPLE F/QUICK COULING 3/8 SS	1603101	1	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	1	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○
<b>Drain and Pipe Cleaning</b>				












Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	DRAIN NOZZLE 06. 3/8	2800894	0	
	DRAIN NOZZLE (0001050)	2800084	1	○
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	1	
	TUBE AND DRAIN CLEANER 05 20M	6401266	1	○
<b>High Pressure Hose, DN12</b>				
	HP HOSE DN12 15000 AGR-AGR	4810213	1	○
<b>Abrasive Blasting</b>				
	ARMEX-POWDER X REF TO 100	5218617	1	○
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	1	○
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	1	○
	SAND PLUGGER AND HOSE VSB	6400375	1	○
	SOFT BLASTING / 05-NOZZLE	6401233	1	○
<b>Brush Rotary</b>				
	BRISTLE. LONG	6401431	1	○











Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	ROTARY BRUSH 055 1700MM	6400019	1	○
	ROTARY BRUSH 055 L800 MM	6400018	1	○
	ROTARY BRUSH 065 L1700 MM	6400016	1	
<b>Special Lance</b>				
	CURVED LANCE L1090 MM	6402016	1	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○
<b>Hose Reel</b>				
	HOSE REEL COMPLETE	106403143	1	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0	○
	HOSE TROLLEY UP TO 50 M 3/8	6400170	1	○
	HOSEREEL PAINTED	106403131	1	○
<b>Injector and Foam Sprayer</b>				
	03 INJECTOR COMPLETE	6401247	1	○












Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	DETERGENT TANK	107141635	0	○
	FOAM INJECTOR	6401243	1	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	1	○
	FOAM INJECTOR STANDARD	6401244	1	○
	FOAM INJECTOR W BYPASS	6401242	1	○
	FOAM LANCE COMPL. LONG)	6404369	1	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○
	HP HOSE L=300 MM W ERGO 3	301001311	1	○
	NILFISK FOAMSPRAYER VARIO HF 0950	106408236	0	○
<b>Hose and Connection</b>				
	HOSE GUIDE COMPLETE	101118105	0	○
	NILFISK BA VALVE COMP. GARDENA	106411177	1	○
<b>Spray Gun</b>				












Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•
	REP. KIT SWIVEL JOINT	101119484	1	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○
<b>Tornado Nozzle with Indication Ring</b>				
	NOZZLE 0500 INDICATION RING YELLOW	101119741	0	
	NOZZLE 0550 INDICATION RING NEONGREEN	101119743	0	
	NOZZLE 0680 INDICATION RING GREY	101119747	1	
	NOZZLE 0700 INDICATION RING ORANGE	101119748	1	
	NOZZLE PROTECTION F. TORNADOL.	106402425	1	○
	TORNADO NOZZLE 0475	301150005	0	•
	TORNADO NOZZLE 1300 1/8'	101119760	1	
	TORNADO NOZZLE 1500 1/8'	101119762	0	
<b>Other</b>				




Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	SIDE BAR COMPL.	106402110	1	○
<b>Short Lance</b>				
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○
<b>FlexoPower Lance</b>				
	FLEXOPOWER PLUS 960	106402282	1	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○
	LANCE FP-3000 920/N.NOZ.	106402281	1	○
<b>TurboHammer Lance</b>				
	TURBOHAMMER PLUS	106402294	1	
	TURBOHAMMER PLUS 1115	106403003	1	
	TURBOHAMMER PLUS 1125	106402290	1	
	TURBOHAMMER PLUS 1125	106402291	1	○
	TURBOHAMMER PLUS 1125	106402292	0	

Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
<b>Tornado Lance</b>				
	TORNADO PLUS 630	106403013	1	○
	TORNADO PLUS 1000 BEND	106403011	1	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○
<b>Universal Lance</b>				
	UNIVERSAL PLUS 650 W/O	106403032	1	○
	UNIVERSAL PLUS 1080 W/O	106403033	1	○
	UNIVERSAL PLUS 1560 W/O	106403031	1	○
	UNIVERSAL PLUS 2060 W/O	106403030	1	○
	UNIVERSAL PLUS LANCE	106403034	1	○
	UNIVERSAL PLUS LANCE	106403035	1	○
	UNIVERSAL PLUS LANCE 940	106403036	1	○
<b>PowerSpeed Vario Lance</b>				

Premium performance, lifetime and ergonomics

Accessories		Ref. no.	Min. required	MC 6P-250/1100 FA 415/3/50 AU
	LANCE POWERSPEED VARIO	106403096	1	
	POWERSPEED VARIO 0500	106403093	1	○
<b>High Pressure Hose, DN8</b>				
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	