

Stationary single pump high pressure cleaners for flexible cleaning

The Gerni SC UNO range of industrial stationary cold high pressure cleaners features innovative steps to meet specific cleaning needs and heavy-duty cleaning challenges with convincing performance. These machines offer a variety of configurations according to user situations – at an attractive price level. Furthermore, intuitive user functions and the opportunity to customise the machines with equipment suited for your environment ensure high productivity.

The ideal and powerful choice



The Gerni SC UNO series introduce a new innovative hard foam cabinet, meeting specific hygienic demands, e.g. within the food industry, and the foam material also reduces the noise level. Together with the new simple control panel, it makes all models ideal for agriculture with milking sheds, sties, and stables. For food and pharma industry with processing equipment, conveyors, and tanks. For shipping and industry with ship decks, bulkheads, and industrial equipment. In rental, retail, trade, building and construction, car wash areas, etc. Even oil and grease can be removed thanks to the hot water inlet and high-pressure detergent injector. Low pump oil warning lamp, service warning lamp and hour counter is standard.

Customise for your environment

Choose a basic or more feature packed model to meet your specific needs. Extra features; full stainless steel frame; high-pressure detergent injector; coin box, water brake tank, accessory storage kit. Dry run/low water safety and inlet water safety kit. Further customization: Can be configured with PCB electronic controls enabling optional equipment such as remote control, coin boxes, and frost protection. Optional add-ons to fulfill EU norm 1717: Water break tank and BA valve.

- NA6 and C3 high-quality industrial motor pumps with brass pump heads
- 4 full ceramic pistons and double roller bearings
- The industrial pumps make it possible to feed the units with hot inlet water from 70°C (with break tank) to 85°C (direct feed) for maximum cleaning efficiency
- Powered by 1450 rpm closed industrial motor
- NA5.2 reinforced wobble disc pump
- Accessory kit included for immediate plug and play use
- Low pump oil safety function and warning lamp
- Hour counter and service warning lamp
- NEO control system, enabling optional functions: remote control, low water safety etc.
- One year commercial warranty









● Standard equipment

Included accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	ERGO COUPLING KIT	101119496	0	•	•
High Pressure Female Coupling					
	QUICK COUPLING 3/4 W/GASKET	1602945	0	•	•
High Pressure Hose, DN8					



Picture shown may not represent model quoted

Stationary single pump high pressure cleaners for flexible cleaning

Included accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	•	
High Pressure Hose, DN10					
	HP HOSE DN10 10000 AGR-AGR	6101766	0		•
Spray Gun					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•
Tornado Lance					
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	•	•
Tornado Nozzle with Indication Ring					
	NOZZLE 0500 INDICATION RING YELLOW	101119741	0	•	
	NOZZLE 0640 INDICATION RING GREEN	101119745	0		•
	NOZZLE 1200 INDICATION RING CAMELE	101119758	0		
	TORNADO NOZZLE 1500 1/8"	101119762	0		

Model	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
Ref. no.	107340510	107340541

PRODUCT FEATURES

Hour Meter	•	•
Full ceramic pistons	•	•
C3 4-ceramic piston pump		•

NILFISK

Stationary single pump high pressure cleaners for flexible cleaning

Model	SC UNO 5M- 200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
Ref. no.	107340510	107340541











PRODUCT FEATURES

Robust steel chassis and frame	•	•
Pump oil warning system	•	•
Intelligent pump control system		•
Automatic start/stop	•	
NA6 - 4 ceramic piston pump		
Foam Sprey	•	
Detergent Tank 2,5 Lt	•	
Wall mountable	•	•
Pressure activated	•	•
Foam Cabinet, EPP	•	•
Motor on-off lamp		•
Service warning lamp		•
NA6+ - 4 ceramic piston pump		











Technical specifications	SC UNO 5M- 200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
Pump Pressure (bar/MPa)	200/20	180/18
Cleaning impact (kg/force)	5.5	5.9
Pump (RPM)	1450	1450
Power consumption (kW)	6.1	6.7
Voltage/phase/frequency/current (V/~/Hz/A)	400/3/50/13	400/3/50/15
Water flow Qmax/Qieq (l/h)	1050/960	1200/1080
El cable (m)	5	5
Nozzle size	.0500	.0640
Max. inlet temperature (°C)	60	85
Ceramic pistons	3	4
Length x width x height (mm)	355x860x560	355x860x560
Suction height dry (m)	1	1
Suction height - primed (m)	2.5	2.5
Weight (kg)	74	81
Recommended avg. hours of use per day	5	8

Stationary single pump high pressure cleaners for flexible cleaning












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
Standard Nozzle 50° 1/8" NPT					
	HP NOZZLE 50070 1/8	5007	0		○
	HP-NOZZLE 5060 1/8"	5006	0		○
High Pressure Male Coupling					
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	0	○	○
	ADAPTOR KEW GUN TO WAP ACCESS.	66161	0	○	○
	GARDENA MALE 3/4 INCH	32541	0	○	○
	HOSE NOZZLE	1311	0	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	0	○	○
	NITO COUPLING HOSE END 1	1604669	0	○	○
High Pressure Female Coupling					
	ADAPTER KEW QUICK COUPLING FEMALE 3/8	66160	0	○	○
	GEKA COUPLING INT	1718	0	○	○












Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	HOSE NOZZLE 20R3/4	61369	0	○	○
	QUICK COUPLING 3/4 W/GASKET	1602945	0	●	●
Standard Nozzle 25° 1/8" NPT					
	HP NOZZLE 25060 1/8 INCH NPT	2506	0		○
	HP NOZZLE 25065 1/8 INCH NPT	7815	0		○
Standard Nozzle 0° 1/8" NPT					
	HP-NOZZLE 0060 1/8	7819	0		○
Brush Washing					
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	0	○	○
	WASH BRUSH L1550 MM	6400088	0	○	○
	WASH BRUSH L2350 MM	6400087	0	○	○
Special Nozzle					
	CONTAINER CLEANING NOZZLE	15861	0	○	○
	DISTANCE-NOZZLE	2802696	0	○	○












Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	NOZZLE PROTECTION CAP PA	18430	0	○	○
Drain and Pipe Cleaning					
	DRAIN NOZZLE 06. 3/8	2800894	0	○	○
	DRAIN NOZZLE (0001050)	2800084	0	○	
	HP HOSE DN10 20000 AGR-DRAIN CLEANER 06	6401268	0	○	○
	PIPE CLEANING HOSE DN4	46920	0	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○
TurboHammer Nozzle					
	TURBOHAMMER NOZZLE W11	102802856	0		
	TURBOHAMMER NOZZLE W11 050	48872	0	○	
	TURBOHAMMER NOZZLE W11 060	48982	0		○
	TURBOHAMMER NOZZLE W12 050	301001108	0	○	
Filter Pressure Washer					












Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	CARTRIDGE FILTER REPLACEM. 50 UM	1104041	0	○	○
	WATER FILTER COMPLETE	107145802	0	○	○
Non Blacking High Pressure Hose, DN10					
	GREY HOSE 20MTR FOR POSEI	1401991	0	○	○
	HOSE 30M NON-BLACKING	1402015	0	○	○
	HP HOSE DN10 GREY 10000 AGR-AGR	6101767	0	○	○
	HP HOSE DN10 GREY 15000 AGR-AGR	1401983	0	○	○
	HP HOSE DN10 GREY 25000 AGR-AGR	1402007	0	○	○
High Pressure Hose, DN10					
	HP HOSE DN10 3000 AGR-AGR	1402932	0	○	○
	HP HOSE DN10 5000 AGR-AGR	1402940	0	○	○
	HP HOSE DN10 10000 AGR-AGR	6101766	0	○	●
	HP HOSE DN10 15000 AGR-AGR	1402064	0	○	○












Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	HP HOSE DN10 20000 AGR-AGR	1402072	0	○	○
	HP HOSE DN10 25000 AGR-AGR	1402080	0	○	○
	HP HOSE DN10 30000 AGR-AGR	1402098	0	○	○
	HP HOSE DN10 50000 AGR-AGR	1402759	0	○	○
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	0	○	○
	ERGO COUPLING KIT	101119496	0	●	●
	HIGH PRESSURE COUPLINGS KIT	101119499	0	○	○
	NIPPEL F. Q-COUPPL. 3/8 INCH	1600493	0	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	0	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○
	PACK.RING D23.8XD14.96 3/8NBR SELF-CENT.	1801075	0	○	○
High Pressure Hose, DN12					
	HP HOSE DN12 15000 AGR-AGR	4810213	0		○












Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	HP HOSE DN12 20000 AGR-AGR	4810214	0		○
Abrasive Blasting					
	ARMEX-POWDER X REF TO 100	5218617	0	○	○
	LANCE WITH RUBBER FLAT NOZZLE 05	6401364	0	○	
	LANCE WITH RUBBER FLAT NOZZLE 06	6401365	0		○
	NOZZLE FOR WSB - FLAT RUBBER 10 PC.	6402317	0	○	○
	SAND PLUGGER AND HOSE VSB	6400375	0	○	○
	SOFT BLASTING / 05-NOZZLE	6401233	0	○	○
Brush Rotary					
	ROTARY BRUSH 055 1700MM	6400019	0	○	
	ROTARY BRUSH 055 L800 MM	6400018	0	○	
	ROTARY BRUSH 065 L1700 MM	6400016	0		○
Special Lance					
	CURVED LANCE L1090 MM	6402016	0	○	○











Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	0	○	○
	UNDER CARRIAGE WASHER 40065	6400036	0	○	○
Injector and Foam Sprayer					
	03 INJECTOR COMPLETE	6401247	0	○	○
	DETERGENT TANK	107141635	0	○	○
	FOAM INJECTOR	6401243	0	○	○
	FOAM INJECTOR AGRESSIVE LQDS	6401245	0	○	○
	FOAM INJECTOR STANDARD	6401244	0	○	○
	FOAM INJECTOR W BYPASS	6401242	0	○	○
	FOAM LANCE COMPL. LONG)	6404369	0	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	0	○	○
	HP HOSE L=300 MM W ERGO 3	301001311	0	○	○
Other					

Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	SIDE BAR COMPL.	106402110	0	○	○
	WATER SUCTION KIT 300 L/MIN 06	6402018	0	○	○
Spray Gun					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●
	ERGO 2000 VARIO PRESS	106403123	0	○	○
	ERGO 3000 GUN W.SWIVEL LOCK+VARIO PRESS	106402191	0	○	○
	REP. KIT SWIVEL JOINT	101119484	0	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	0	○	○
Tornado Nozzle with Indication Ring					
	NOZZLE 0500 INDICATION RING YELLOW	101119741	0	●	
	NOZZLE 0640 INDICATION RING GREEN	101119745	0		●
	NOZZLE 1200 INDICATION RING CAMELE	101119758	0		
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○





Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	TORNADO NOZZLE 1500 1/8'	101119762	0		
High Pressure Hose, DN8					
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	○	
	HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL.	301001101	0	○	
	HOSE DN8 2 WIRE 10M W.ERGO FEMALE COUPL	101405770	0	●	
Short Lance					
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	0	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	0	○	○
FlexoPower Lance					
	FLEXOPOWER PLUS 960	106402282	0	○	○
	FLEXOPOWER PLUS 960 W/O NOZZLE BLUE	106408229	0	○	○
	LANCE FP-3000 920/N.NOZ.	106402281	0	○	○
TurboHammer Lance					
	TURBOHAMMER PLUS 1115	106403003	0	○	
Tornado Lance					

Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	TORNADO PLUS 630	106403013	0	○	○
	TORNADO PLUS 1000 BEND	106403011	0	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	0	●	●
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	0	○	○
Universal Lance					
	UNIVERSAL PLUS 650 W/O	106403032	0	○	○
	UNIVERSAL PLUS 1080 W/O	106403033	0	○	○
	UNIVERSAL PLUS 1560 W/O	106403031	0	○	○
	UNIVERSAL PLUS 2060 W/O	106403030	0	○	○
	UNIVERSAL PLUS LANCE	106403034	0	○	○
	UNIVERSAL PLUS LANCE	106403035	0	○	○
	UNIVERSAL PLUS LANCE 940	106403036	0	○	○
Hose Reel					

Stationary single pump high pressure cleaners for flexible cleaning

Accessories		Ref. no.	Min. required	SC UNO 5M-200/1050 L 400/3/50 EU	SC UNO 7P-180/1200 400/3/50 EU
	HOSEREEL PAINTED	106403131	0	○	○
Hose and Connection					
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○
Option					
	ACCESSORY LOW WATER	107371024	0		○
	ACCESSORY REMOTE	107371026	0		○
	ACCESSORY WATER INLET	107371023	0		○