

Health and safety as standard with great airflow in 4 kW

T40W generates a great airflow and is the ideal tool to collect high quantities of very fine dust. The M and H class filters grant a safe dust containment. The ATEX certification allows to work safely in explosion-proof areas.

Ideal to be used in companies producing high quantities of very fine dust, the Nilfisk IVS model T40WPlus is available in several configurations: with M class filter or with HEPA upstream or ULPA downstream absolute filter for the collection of very fine or hazardous dust, with cartridges filter and jet pulse cleaning system, with 50 or 100 liters container, with solid cut-off system and so on. ATEX versions can work in zone 22-21-2 in compliance with directives 94/9/EC and 99/92/EC

- manual or electric filter shaker version
- jet pulse cartridge filter cleaning system version
- vacuumeter
- L and H class versions
- ATEX version for zone 22-21 and 2
- plug with inverter



Picture shown may not represent model quoted

- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment
- Standard equipment

Model	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
Ref. no.	4030800505	4030800956	4030800962

PRODUCT FEATURES

Electrical filter shaker			
Stainless steel container	•	•	•
M-class hazardous dust approval			
H-class hazardous dust approval	•		
Stainless steel filter chamber			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
Manual filter shaker	•	•	•
HEPA (H14) upstream filtration	•		•
Downstream ULPA filtration			
Cyclone plate			

Health and safety as standard with great airflow in 4 kW

Model	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
Ref. no.	4030800505	4030800956	4030800962

PRODUCT FEATURES

L-class hazardous dust approval		•	•
5 pin plug	•		
ATEX category	•	•	•
L class AntiStatic filter		•	
M class AntiStatic filter			•
Safe bag system	•		
Purge jet system			
Kit clapet	•	•	•
Plastic bag system			
Micro Switch for Remote Control			
Single HEPA H14 bag-in bag-out filter			
Longopac® system			
Immersion Separator			

Model	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
Ref. no.	4030800964	4030800967	4030800968

PRODUCT FEATURES

Electrical filter shaker			
Stainless steel container	•	•	•
M-class hazardous dust approval			
H-class hazardous dust approval			
Stainless steel filter chamber			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
Manual filter shaker	•	•	•
HEPA (H14) upstream filtration			•
Downstream ULPA filtration			
Cyclone plate			
L-class hazardous dust approval	•	•	•
5 pin plug	•		
ATEX category	•	•	•
L class AntiStatic filter	•	•	
M class AntiStatic filter			•

Health and safety as standard with great airflow in 4 kW

Model	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
Ref. no.	4030800964	4030800967	4030800968

PRODUCT FEATURES

Safe bag system

Purge jet system

Kit clapet

Plastic bag system

Micro Switch for Remote Control

Single HEPA H14 bag-in bag-out filter

Longopac® system

Immersion Separator

Model	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
Ref. no.	4030800975	4030800976	4030800979

PRODUCT FEATURES

Electrical filter shaker

Stainless steel container

M-class hazardous dust approval

H-class hazardous dust approval

Stainless steel filter chamber

Switch motor protector

Vacuum meter

Manual filter shaker

HEPA (H14) upstream filtration

Downstream ULPA filtration

Cyclone plate

L-class hazardous dust approval

5 pin plug

ATEX category

L class AntiStatic filter

M class AntiStatic filter

Safe bag system

Purge jet system

Kit clapet

Plastic bag system

Micro Switch for Remote Control

NILFISK

Health and safety as standard with great airflow in 4 kW

Model	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
Ref. no.	4030800975	4030800976	4030800979

PRODUCT FEATURES

Single HEPA H14 bag-in bag-out filter

Longopac® system

•

Immersion Separator

Model	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
Ref. no.	4030800980	4030800982	4030800983

PRODUCT FEATURES

Electrical filter shaker

Stainless steel container

•

•

•

M-class hazardous dust approval

•

H-class hazardous dust approval

Stainless steel filter chamber

Switch motor protector

•

•

•

Vacuum meter

•

•

•

Manual filter shaker

•

•

HEPA (H14) upstream filtration

Downstream ULPA filtration

•

Cyclone plate

L-class hazardous dust approval

•

•

5 pin plug

•

•

ATEX category

•

•

•

L class AntiStatic filter

•

•

M class AntiStatic filter

•

Safe bag system

Purge jet system

•

Kit clapet

Plastic bag system

Micro Switch for Remote Control

Single HEPA H14 bag-in bag-out filter

Longopac® system

•

Immersion Separator

Health and safety as standard with great airflow in 4 kW

Model	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
Ref. no.	4030800984	4030800985	4030800986

PRODUCT FEATURES

Electrical filter shaker	•		
Stainless steel container	•	•	•
M-class hazardous dust approval			
H-class hazardous dust approval		•	
Stainless steel filter chamber			
Switch motor protector	•	•	•
Vacuum meter	•	•	•
Manual filter shaker		•	
HEPA (H14) upstream filtration		•	
Downstream ULPA filtration			•
Cyclone plate			
L-class hazardous dust approval	•		•
5 pin plug	•	•	•
ATEX category	•	•	•
L class AntiStatic filter			•
M class AntiStatic filter	•		
Safe bag system		•	
Purge jet system			•
Kit clapet		•	
Plastic bag system			
Micro Switch for Remote Control			
Single HEPA H14 bag-in bag-out filter			
Longopac® system		•	
Immersion Separator			

Model	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
Ref. no.	4030800996	4030801000

PRODUCT FEATURES

Electrical filter shaker		
Stainless steel container	•	•
M-class hazardous dust approval		
H-class hazardous dust approval		
Stainless steel filter chamber		



Health and safety as standard with great airflow in 4 kW

Model	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
Ref. no.	4030800996	4030801000

PRODUCT FEATURES

Switch motor protector	•	•
Vacuum meter	•	•
Manual filter shaker		•
HEPA (H14) upstream filtration		•
Downstream ULPA filtration		
Cyclone plate		
L-class hazardous dust approval	•	
5 pin plug		
ATEX category	•	•
L class AntiStatic filter		
M class AntiStatic filter		
Safe bag system		•
Purge jet system	•	
Kit clapet		
Plastic bag system		
Micro Switch for Remote Control	•	
Single HEPA H14 bag-in bag-out filter		
Longopac® system		•
Immersion Separator		

Technical specifications	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	4	4	4
Airflow without hose (m³/h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	19 - 190	19 - 190	19 - 190
Sound pressure level (dB(A))	71	71	71
Container capacity (L)	50	100	100
Main filter area (cm²)	35000	35000	35000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290x600x1360	1290x600x1640	1290x600x1640

Health and safety as standard with great airflow in 4 kW

Technical specifications	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	4	4	4
Airflow without hose (m ³ /h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	19 - 190	19 - 190	19 - 190
Sound pressure level (dB(A))	71	71	71
Container capacity (L)	100	100	100
Main filter area (cm ²)	35000	35000	35000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290x600x1640	1290x600x1640	1290x600x1640

Technical specifications	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	4	4	4
Airflow without hose (m ³ /h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	19 - 190	19 - 190	19 - 190
Sound pressure level (dB(A))	71	71	71
Container capacity (L)	100	50	Longopac
Main filter area (cm ²)	35000	35000	35000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290x600x1640	1290x600x1360	1290x600x1360

Technical specifications	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	4	4	4
Airflow without hose (m ³ /h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	19 - 190	19 - 190	19 - 190
Sound pressure level (dB(A))	71	71	71

Health and safety as standard with great airflow in 4 kW












Technical specifications	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
Container capacity (L)	Longopac	100	100
Main filter area (cm ²)	35000	35000	35000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290x600x1360	1290x600x1640	1290x600x1640

Technical specifications	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
Voltage (V)	400	400	400
Frequency (Hz)	50	50	50
IP protection class	55	55	55
Insulation class	F	F	F
Rated power (kW)	4	4	4
Airflow without hose (m ³ /h - l/m)	489 - 8150	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	19 - 190	19 - 190	19 - 190
Sound pressure level (dB(A))	71	71	71
Container capacity (L)	100	Longopac	100
Main filter area (cm ²)	35000	35000	35000
Inlet (mm)	70	70	70
Length x width x height (mm)	1290x600x1640	1290x600x1360	1290x600x1640












Technical specifications	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
Voltage (V)	400	400
Frequency (Hz)	50	50
IP protection class	55	55
Insulation class	F	F
Rated power (kW)	4	4
Airflow without hose (m ³ /h - l/m)	489 - 8150	489 - 8150
Max. vacuum (kPa - mbar)	19 - 190	19 - 190
Sound pressure level (dB(A))	71	71
Container capacity (L)	50	Longopac
Main filter area (cm ²)	35000	35000
Inlet (mm)	70	70
Length x width x height (mm)	1290x600x1360	1290x600x1360

Health and safety as standard with great airflow in 4 kW











● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
Filter					
 KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner					
 ANT.POL BLACK HOSE D50	Z7 22369	1	○	○	○
 ANT.POL BLACK HOSE D50	Z7 22372	1	○	○	○
 ANT.POL BLACK HOSE D70	Z7 22370	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400328	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400334	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400338	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400335	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400337	1	○	○	○
 COND. POLYURETH. HOSE D40 3M +SLEEVES	Z7 22368	1	○	○	○
 COND. POLYURETH. HOSE D40 5M +SLEEVES	Z7 22371	1	○	○	○













Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	COND. POLYURETHAN HOSE D70 5M +SLEEVES	Z7 22373	1	○	○	○
	CONDUCTIVE FLEX HOSE	4072200510	1	○	○	○
	EVAFLEX HOSE D50	Z7 22375	1	○	○	○
	FLEX CONDUCTIVE HOSE D38MT3+SLEEVE38/40	4072200509	1	○	○	○
	FLEXIBLE HOSE D40 MT3	Z7 22378	1	○	○	○
	FLEXIBLE STEEL HOSE D70 P	Z7 24033	1	○	○	○
	FLOWING PTFE SLEEVE D40	Z7 20327	1	○	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○	○
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○	○
	HOSE STEEL 100 MM	Z7 24034	1	○	○	○
	METAL TIE FOR HIGH	4082300068	1	○	○	○









Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	SILICONE HOSE FDA WITH	4072100135	1	○	○	○
	SILICONE HOSE FDA WITH	4072100136	1	○	○	○
	SILICONE HOSE FDA WITH	4072100137	1	○	○	○
	SILICONE HOSE FDA WITH	4072100138	1	○	○	○
	STEEL HOSE D50 3M+RED. 70/50+CONNECTOR	Z7 22379	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	HIGH TEMPERATURE KIT 3MT+FLEX HOSE D40	4072200616	1	○	○	○
	HIGH TEMPERATURE KIT+FLEX HOSE D50	4072200617	1	○	○	○
	KIT FOR OVEN CLEANING D50	Z7 24192	1	○	○	○
	KIT FOR OVEN CLEANING D50/40	Z7 24193	1	○	○	○
	KIT INLET FOR PAPER BAG	Z5 60375	1	○	○	○
Vacuum Hose and Connection						












Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	70MM BENT TUBE	Z7 21032	1	○	○	○
	70MM HOSE FITTING	Z7 21001	1	○	○	○
	70MM JUNCTION FITTING	Z7 21000	1	○	○	○
	BENT TUBE 40MM	Z7 21013	1	○	○	○
	BENT TUBE 50MM	Z7 21012	1	○	○	○
	BENT TUBE REDUCER	Z7 22015	1	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	IRON REDUCER 70/50	Z7 22001	1	○	○	○
	JUNCTION FITTING 50MM	Z7 21002	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	REDUCTION D 70/40	Z7 22002	1	○	○	○
	STAINLESS STEEL BENT	Z7 21034	1	○	○	○
Crevice Nozzle						
	500MM IRON CREVICE NOZZLE	Z7 21026	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	IRON FLAT LANCE D.70	Z7 21028	1	○	○	○
	LANCE FITTING D 50 FE	Z7 21075	1	○	○	○
	SCRAPING NOZZLE D40 S.S.	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D40 INOX SS316L	4072100145	1	○	○	○

Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	BENT CONNECTION D50 INOX SS316L	4072100146	1	○	○	○
	CONNECTION JOINT D40	4072100140	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 INOX SS316L	4072100141	1	○	○	○
	CONNECTION TUBE D50 SS316L	4072100139	1	○	○	○
	REDUCER D50/40 INOX	4072100142	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/40 INOX	4072100143	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER D70/50 INOX	4072100144	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○	○












Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	TIE D40-60	Z8 40040	1	○	○	○
	WYE D50/50/50 INOX SS316L	4072100147	1	○	○	○
Extension Tube						
	1M ALUMINIUM TUBE 40MM	Z7 22008	1	○	○	○
	1M ALUMINIUM TUBE 50MM	Z7 22005	1	○	○	○
	2 MT EXTENSION TUBE 50MM	Z7 22268	1	○	○	○
	3MT EXTENSION TUBE 50 MM	Z7 22037	1	○	○	○
	40MM CHROME HANDGRIP	Z7 22121	1	○	○	○
	ALUM.EXTENSION D40 MT1	Z7 22386	1	○	○	○
	ALUM.EXTENSION D40 MT3	Z7 22006	1	○	○	○
	ALUM.EXTENSION D50 MT3	Z7 22003	1	○	○	○
	ALUMINIUM EXTENSION D50	Z7 22385	1	○	○	○

Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	ALUMINIUM EXTENSION TUBE	Z7 22004	1	○	○	○
	ALUMINIUM EXTENSION TUBE	Z7 22007	1	○	○	○
	CHROMED HANDGRIP 50MM	Z7 22122	1	○	○	○
	EXTENS. X FURNACES D40 MT	Z7 22036	1	○	○	○
	EXTENSION X FURNACES D40	Z7 22267	1	○	○	○
	EXTENSION X FURNACES D40 MT1 A COMPLETE	Z7 22270	1	○	○	○
	EXTENSION X FURNACES D50	Z7 22271	1	○	○	○
	FLAT LANCE D40 SS316L	4072100148	1	○	○	○
	FLAT LANCE D50 SS316L	4072100149	1	○	○	○
	HANDGRIP D40 AISI316L COMPLETE	4072200596	1	○	○	○
	HANDGRIP D50 AISI316L	4072200597	1	○	○	○
Vac Nozzle Dry						













Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	ALUMINIUM NOZZLE 40MM	Z7 22031	1	○	○	○
	ALUMINIUM NOZZLE 50MM	Z7 22032	1	○	○	○
	SUCKER x FURNACES D40	Z7 22272	1	○	○	○
	SUCKER x FURNACES D50 MM4	Z7 22273	1	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX	Z7 22294	1	○	○	○
	MOB. SS NOZZLE+SILICONE	4072400324	1	○	○	○
	MOB. SS NOZZLE+SILICONE FDA YELLOW D40	4072400318	1	○	○	○
	MOBILE SS	4072400314	1	○	○	○
	MOBILE SS	4072400315	1	○	○	○
	MOBILE SS	4072400316	1	○	○	○
	MOBILE SS	4072400319	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
 MOBILE SS	4072400321	1	○	○	○
 MOBILE SS	4072400322	1	○	○	○
 MOBILE SS	4072400325	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400326	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400327	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA D50	4072400320	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D40	4072400317	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D50	4072400323	1	○	○	○
 MOBILE SUCKER RUBBER. 400 MM PACK OF 10	Z8 20295	1	○	○	○
 SILICONE NOZZLE FDA	4072100118	1	○	○	○
 SILICONE NOZZLE FDA	4072100119	1	○	○	○
 SILICONE NOZZLE FDA	4072100121	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	SILICONE NOZZLE FDA	4072100122	1	○	○	○
	SILICONE NOZZLE FDA	4072100124	1	○	○	○
	SILICONE NOZZLE FDA	4072100125	1	○	○	○
	SILICONE NOZZLE FDA	4072100127	1	○	○	○
	SILICONE NOZZLE FDA	4072100128	1	○	○	○
	SS NOZZLE+COVER FDA	4072400304	1	○	○	○
	SS NOZZLE+COVER FDA	4072400307	1	○	○	○
	SS NOZZLE+COVER FDA	4072400309	1	○	○	○
	SS NOZZLE+COVER FDA	4072400311	1	○	○	○
	SS NOZZLE+COVER FDA	4072400312	1	○	○	○
	SS NOZZLE+COVER FDA	4072400313	1	○	○	○
	SS NOZZLE+COVER FDA GREEN D40	4072400306	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	SS NOZZLE+COVER FDA RED	4072400310	1	○	○	○
	SS NOZZLE+COVER FDA RED D40	4072400305	1	○	○	○
	SS NOZZLE+COVER FDA WHITE D40	4072400308	1	○	○	○
Cone Nozzle						
	SILICONE CONE FDA	4072100115	1	○	○	○
	SILICONE CONE FDA BLUE	4072100106	1	○	○	○
	SILICONE CONE FDA BLUE	4072100112	1	○	○	○
	SILICONE CONE FDA D40	4072100105	1	○	○	○
	SILICONE CONE FDA D50	4072100111	1	○	○	○
	SILICONE CONE FDA GREEN	4072100108	1	○	○	○
	SILICONE CONE FDA GREEN	4072100114	1	○	○	○
	SILICONE CONE FDA RED D40	4072100107	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	SILICONE CONE FDA RED D50	4072100113	1	○	○	○
	SILICONE CONE FDA WHITE	4072100110	1	○	○	○
	SILICONE CONE FDA WHITE	4072100116	1	○	○	○
	SILICONE CONE FDA YELLOW D40	4072100109	1	○	○	○
	SILICONE CONICAL TOOL	4072100133	1	○	○	○
	SILICONE CONICAL TOOL	4072100130	1	○	○	○
	SILICONE CONICAL TOOL	4072100131	1	○	○	○
	SILICONE CONICAL TOOL	4072100132	1	○	○	○
	SILICONE CONICAL TOOL	4072100134	1	○	○	○
	SILICONE CONICAL TOOL FDA D40/20	4072100129	1	○	○	○
Brush						
	RECTANGULAR BRUSH FDA	4072400294	1	○	○	○







Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
 RECTANGULAR BRUSH FDA	4072400295	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400297	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400298	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400299	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400300	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400301	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400302	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400303	1	○	○	○
 RECTANGULAR BRUSH FDA GREEN D40	4072400296	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400293	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400284	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400285	1	○	○	○





Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	TRIANGULAR BRUSH FDA	4072400287	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400288	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400289	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400290	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400291	1	○	○	○
	TRIANGULAR BRUSH FDA GREEN D40	4072400286	1	○	○	○
	TRIANGULAR BRUSH FDA YELLOW D50	4072400292	1	○	○	○
Round Brush Nozzle						
	ROUND BRUSH FDA BLUE D38	4072400274	1	○	○	○
	ROUND BRUSH FDA BLUE D50	4072400279	1	○	○	○
	ROUND BRUSH FDA GREEN D40	4072400276	1	○	○	○
	ROUND BRUSH FDA GREEN D50	4072400281	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 HC Z22 5PP	T40WPLUS L100 LC Z22 EXA	T40WPLUS L100 LC Z22 EXA AU FM
	ROUND BRUSH FDA RED D38	4072400275	1	○	○	○
	ROUND BRUSH FDA RED D50	4072400280	1	○	○	○
	ROUND BRUSH FDA WHITE D38	4072400278	1	○	○	○
	ROUND BRUSH FDA WHITE D50	4072400283	1	○	○	○
	ROUND BRUSH FDA YELLOW	4072400277	1	○	○	○
	ROUND BRUSH FDA YELLOW D50	4072400282	1	○	○	○


● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
Filter						
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner						
	ANT.POL BLACK HOSE D50	Z7 22369	1	○	○	○
	ANT.POL BLACK HOSE D50	Z7 22372	1	○	○	○
	ANT.POL BLACK HOSE D70	Z7 22370	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
 ANTISTATIC HOSE FDA D40	4072400328	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400334	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400338	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400335	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400337	1	○	○	○
 COND. POLYURETH. HOSE D40 3M +SLEEVES	Z7 22368	1	○	○	○
 COND. POLYURETH. HOSE D40 5M +SLEEVES	Z7 22371	1	○	○	○
 COND. POLYURETHAN HOSE D70 5M +SLEEVES	Z7 22373	1	○	○	○
 CONDUCTIVE FLEX HOSE	4072200510	1	○	○	○
 EVAFLEX HOSE D50	Z7 22375	1	○	○	○
 FLEX CONDUCTIVE HOSE D38MT3+SLEEVE38/40	4072200509	1	○	○	○
 FLEXIBLE HOSE D40 MT3	Z7 22378	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	FLEXIBLE STEEL HOSE D70 P	Z7 24033	1	○	○	○
	FLOWING PTFE SLEEVE D40	Z7 20327	1	○	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○	○
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○	○
	HOSE STEEL 100 MM	Z7 24034	1	○	○	○
	METAL TIE FOR HIGH	4082300068	1	○	○	○
	SILICONE HOSE FDA WITH	4072100135	1	○	○	○
	SILICONE HOSE FDA WITH	4072100136	1	○	○	○
	SILICONE HOSE FDA WITH	4072100137	1	○	○	○
	SILICONE HOSE FDA WITH	4072100138	1	○	○	○
	STEEL HOSE D50 3M+RED. 70/50+CONNECTOR	Z7 22379	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER	4089100100	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	HIGH TEMPERATURE KIT 3MT+FLEX HOSE D40	4072200616	1	○	○	○
	HIGH TEMPERATURE KIT+FLEX HOSE D50	4072200617	1	○	○	○
	KIT FOR OVEN CLEANING D50	Z7 24192	1	○	○	○
	KIT FOR OVEN CLEANING D50/40	Z7 24193	1	○	○	○
	KIT INLET FOR PAPER BAG	Z5 60375	1	○	○	○
Vacuum Hose and Connection						
	70MM BENT TUBE	Z7 21032	1	○	○	○
	70MM HOSE FITTING	Z7 21001	1	○	○	○
	70MM JUNCTION FITTING	Z7 21000	1	○	○	○
	BENT TUBE 40MM	Z7 21013	1	○	○	○
	BENT TUBE 50MM	Z7 21012	1	○	○	○
	BENT TUBE REDUCER	Z7 22015	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	IRON REDUCER 70/50	Z7 22001	1	○	○	○
	JUNCTION FITTING 50MM	Z7 21002	1	○	○	○
	REDUCTION D 70/40	Z7 22002	1	○	○	○
	STAINLESS STEEL BENT	Z7 21034	1	○	○	○
Crevice Nozzle						
	500MM IRON CREVICE NOZZLE	Z7 21026	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○


Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	IRON FLAT LANCE D.70	Z7 21028	1	○	○	○
	LANCE FITTING D 50 FE	Z7 21075	1	○	○	○
	SCRAPING NOZZLE D40 S.S.	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D40 INOX SS316L	4072100145	1	○	○	○
	BENT CONNECTION D50 INOX SS316L	4072100146	1	○	○	○
	CONNECTION JOINT D40	4072100140	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 INOX SS316L	4072100141	1	○	○	○
	CONNECTION TUBE D50 SS316L	4072100139	1	○	○	○











Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	REDUCER D50/40 INOX	4072100142	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/40 INOX	4072100143	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER D70/50 INOX	4072100144	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
	WYE D50/50/50 INOX SS316L	4072100147	1	○	○	○
Extension Tube						
	1M ALUMINIUM TUBE 40MM	Z7 22008	1	○	○	○
	1M ALUMINIUM TUBE 50MM	Z7 22005	1	○	○	○



Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
 2 MT EXTENSION TUBE 50MM	Z7 22268	1	○	○	○
 3MT EXTENSION TUBE 50 MM	Z7 22037	1	○	○	○
 40MM CHROME HANDGRIP	Z7 22121	1	○	○	○
 ALUM.EXTENSION D40 MT1	Z7 22386	1	○	○	○
 ALUM.EXTENSION D40 MT3	Z7 22006	1	○	○	○
 ALUM.EXTENSION D50 MT3	Z7 22003	1	○	○	○
 ALUMINIUM EXTENSION D50	Z7 22385	1	○	○	○
 ALUMINIUM EXTENSION TUBE	Z7 22004	1	○	○	○
 ALUMINIUM EXTENSION TUBE	Z7 22007	1	○	○	○
 CHROMED HANDGRIP 50MM	Z7 22122	1	○	○	○
 EXTENS. X FURNACES D40 MT	Z7 22036	1	○	○	○
 EXTENSION X FURNACES D40	Z7 22267	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
 EXTENSION X FURNACES D40 MT1 A COMPLETE	Z7 22270	1	○	○	○
 EXTENSION X FURNACES D50	Z7 22271	1	○	○	○
 FLAT LANCE D40 SS316L	4072100148	1	○	○	○
 FLAT LANCE D50 SS316L	4072100149	1	○	○	○
 HANDGRIP D40 AISI316L COMPLETE	4072200596	1	○	○	○
 HANDGRIP D50 AISI316L	4072200597	1	○	○	○
Vac Nozzle Dry					
 ALUMINIUM NOZZLE 40MM	Z7 22031	1	○	○	○
 ALUMINIUM NOZZLE 50MM	Z7 22032	1	○	○	○
 SUCKER x FURNACES D40	Z7 22272	1	○	○	○
 SUCKER x FURNACES D50 MM4	Z7 22273	1	○	○	○
Nozzle					
 LIQ.SUCKER D50 MM400 INOX	Z7 22294	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
 MOB. SS NOZZLE+SILICONE	4072400324	1	○	○	○
 MOB. SS NOZZLE+SILICONE FDA YELLOW D40	4072400318	1	○	○	○
 MOBILE SS	4072400314	1	○	○	○
 MOBILE SS	4072400315	1	○	○	○
 MOBILE SS	4072400316	1	○	○	○
 MOBILE SS	4072400319	1	○	○	○
 MOBILE SS	4072400321	1	○	○	○
 MOBILE SS	4072400322	1	○	○	○
 MOBILE SS	4072400325	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400326	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400327	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA D50	4072400320	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
 MOBILE SS NOZZLE+SILICONE FDA GREEN D40	4072400317	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D50	4072400323	1	○	○	○
 MOBILE SUCKER RUBBER. 400 MM PACK OF 10	Z8 20295	1	○	○	○
 SILICONE NOZZLE FDA	4072100118	1	○	○	○
 SILICONE NOZZLE FDA	4072100119	1	○	○	○
 SILICONE NOZZLE FDA	4072100121	1	○	○	○
 SILICONE NOZZLE FDA	4072100122	1	○	○	○
 SILICONE NOZZLE FDA	4072100124	1	○	○	○
 SILICONE NOZZLE FDA	4072100125	1	○	○	○
 SILICONE NOZZLE FDA	4072100127	1	○	○	○
 SILICONE NOZZLE FDA	4072100128	1	○	○	○
 SS NOZZLE+COVER FDA	4072400304	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	SS NOZZLE+COVER FDA	4072400307	1	○	○	○
	SS NOZZLE+COVER FDA	4072400309	1	○	○	○
	SS NOZZLE+COVER FDA	4072400311	1	○	○	○
	SS NOZZLE+COVER FDA	4072400312	1	○	○	○
	SS NOZZLE+COVER FDA	4072400313	1	○	○	○
	SS NOZZLE+COVER FDA GREEN D40	4072400306	1	○	○	○
	SS NOZZLE+COVER FDA RED	4072400310	1	○	○	○
	SS NOZZLE+COVER FDA RED D40	4072400305	1	○	○	○
	SS NOZZLE+COVER FDA WHITE D40	4072400308	1	○	○	○
Cone Nozzle						
	SILICONE CONE FDA	4072100115	1	○	○	○
	SILICONE CONE FDA BLUE	4072100106	1	○	○	○













Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	SILICONE CONE FDA BLUE	4072100112	1	○	○	○
	SILICONE CONE FDA D40	4072100105	1	○	○	○
	SILICONE CONE FDA D50	4072100111	1	○	○	○
	SILICONE CONE FDA GREEN	4072100108	1	○	○	○
	SILICONE CONE FDA GREEN	4072100114	1	○	○	○
	SILICONE CONE FDA RED D40	4072100107	1	○	○	○
	SILICONE CONE FDA RED D50	4072100113	1	○	○	○
	SILICONE CONE FDA WHITE	4072100110	1	○	○	○
	SILICONE CONE FDA WHITE	4072100116	1	○	○	○
	SILICONE CONE FDA YELLOW D40	4072100109	1	○	○	○
	SILICONE CONICAL TOOL	4072100133	1	○	○	○
	SILICONE CONICAL TOOL	4072100130	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	SILICONE CONICAL TOOL	4072100131	1	○	○	○
	SILICONE CONICAL TOOL	4072100132	1	○	○	○
	SILICONE CONICAL TOOL	4072100134	1	○	○	○
	SILICONE CONICAL TOOL FDA D40/20	4072100129	1	○	○	○
Brush						
	RECTANGULAR BRUSH FDA	4072400294	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400295	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400297	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400298	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400299	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400300	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400301	1	○	○	○

Health and safety as standard with great airflow in 4 kW












Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
 RECTANGULAR BRUSH FDA	4072400302	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400303	1	○	○	○
 RECTANGULAR BRUSH FDA GREEN D40	4072400296	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400293	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400284	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400285	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400287	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400288	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400289	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400290	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400291	1	○	○	○
 TRIANGULAR BRUSH FDA GREEN D40	4072400286	1	○	○	○

Health and safety as standard with great airflow in 4 kW












Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA	T40WPLUS L100 LC Z22 EXA AU FM PBS
	TRIANGULAR BRUSH FDA YELLOW D50	4072400292	1	○	○	○
Round Brush Nozzle						
	ROUND BRUSH FDA BLUE D38	4072400274	1	○	○	○
	ROUND BRUSH FDA BLUE D50	4072400279	1	○	○	○
	ROUND BRUSH FDA GREEN D40	4072400276	1	○	○	○
	ROUND BRUSH FDA GREEN D50	4072400281	1	○	○	○
	ROUND BRUSH FDA RED D38	4072400275	1	○	○	○
	ROUND BRUSH FDA RED D50	4072400280	1	○	○	○
	ROUND BRUSH FDA WHITE D38	4072400278	1	○	○	○
	ROUND BRUSH FDA WHITE D50	4072400283	1	○	○	○
	ROUND BRUSH FDA YELLOW	4072400277	1	○	○	○
	ROUND BRUSH FDA YELLOW D50	4072400282	1	○	○	○

Health and safety as standard with great airflow in 4 kW











● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
Filter					
 KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner					
 ANT.POL BLACK HOSE D50	Z7 22369	1	○	○	○
 ANT.POL BLACK HOSE D50	Z7 22372	1	○	○	○
 ANT.POL BLACK HOSE D70	Z7 22370	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400328	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400334	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400338	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400335	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400337	1	○	○	○
 COND. POLYURETH. HOSE D40 3M +SLEEVES	Z7 22368	1	○	○	○
 COND. POLYURETH. HOSE D40 5M +SLEEVES	Z7 22371	1	○	○	○






Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
 COND. POLYURETHAN HOSE D70 5M +SLEEVES	Z7 22373	1	○	○	○
 CONDUCTIVE FLEX HOSE	4072200510	1	○	○	○
 EVAFLEX HOSE D50	Z7 22375	1	○	○	○
 FLEX CONDUCTIVE HOSE D38MT3+SLEEVE38/40	4072200509	1	○	○	○
 FLEXIBLE HOSE D40 MT3	Z7 22378	1	○	○	○
 FLEXIBLE STEEL HOSE D70 P	Z7 24033	1	○	○	○
 FLOWING PTFE SLEEVE D40	Z7 20327	1	○	○	○
 FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○	○
 HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○	○
 HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○	○
 HOSE STEEL 100 MM	Z7 24034	1	○	○	○
METAL TIE FOR HIGH	4082300068	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	SILICONE HOSE FDA WITH	4072100135	1	○	○	○
	SILICONE HOSE FDA WITH	4072100136	1	○	○	○
	SILICONE HOSE FDA WITH	4072100137	1	○	○	○
	SILICONE HOSE FDA WITH	4072100138	1	○	○	○
	STEEL HOSE D50 3M+RED. 70/50+CONNECTOR	Z7 22379	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	HIGH TEMPERATURE KIT 3MT+FLEX HOSE D40	4072200616	1	○	○	○
	HIGH TEMPERATURE KIT+FLEX HOSE D50	4072200617	1	○	○	○
	KIT FOR OVEN CLEANING D50	Z7 24192	1	○	○	○
	KIT FOR OVEN CLEANING D50/40	Z7 24193	1	○	○	○
	KIT INLET FOR PAPER BAG	Z5 60375	1	○	○	○
Vacuum Hose and Connection						









Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	70MM BENT TUBE	Z7 21032	1	○	○	○
	70MM HOSE FITTING	Z7 21001	1	○	○	○
	70MM JUNCTION FITTING	Z7 21000	1	○	○	○
	BENT TUBE 40MM	Z7 21013	1	○	○	○
	BENT TUBE 50MM	Z7 21012	1	○	○	○
	BENT TUBE REDUCER	Z7 22015	1	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	IRON REDUCER 70/50	Z7 22001	1	○	○	○
	JUNCTION FITTING 50MM	Z7 21002	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	REDUCTION D 70/40	Z7 22002	1	○	○	○
	STAINLESS STEEL BENT	Z7 21034	1	○	○	○
Crevice Nozzle						
	500MM IRON CREVICE NOZZLE	Z7 21026	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	IRON FLAT LANCE D.70	Z7 21028	1	○	○	○
	LANCE FITTING D 50 FE	Z7 21075	1	○	○	○
	SCRAPING NOZZLE D40 S.S.	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D40 INOX SS316L	4072100145	1	○	○	○

Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	BENT CONNECTION D50 INOX SS316L	4072100146	1	○	○	○
	CONNECTION JOINT D40	4072100140	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 INOX SS316L	4072100141	1	○	○	○
	CONNECTION TUBE D50 SS316L	4072100139	1	○	○	○
	REDUCER D50/40 INOX	4072100142	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/40 INOX	4072100143	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER D70/50 INOX	4072100144	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	TIE D40-60	Z8 40040	1	○	○	○
	WYE D50/50/50 INOX SS316L	4072100147	1	○	○	○
Extension Tube						
	1M ALUMINIUM TUBE 40MM	Z7 22008	1	○	○	○
	1M ALUMINIUM TUBE 50MM	Z7 22005	1	○	○	○
	2 MT EXTENSION TUBE 50MM	Z7 22268	1	○	○	○
	3MT EXTENSION TUBE 50 MM	Z7 22037	1	○	○	○
	40MM CHROME HANDGRIP	Z7 22121	1	○	○	○
	ALUM.EXTENSION D40 MT1	Z7 22386	1	○	○	○
	ALUM.EXTENSION D40 MT3	Z7 22006	1	○	○	○
	ALUM.EXTENSION D50 MT3	Z7 22003	1	○	○	○
	ALUMINIUM EXTENSION D50	Z7 22385	1	○	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	ALUMINIUM EXTENSION TUBE	Z7 22004	1	○	○	○
	ALUMINIUM EXTENSION TUBE	Z7 22007	1	○	○	○
	CHROMED HANDGRIP 50MM	Z7 22122	1	○	○	○
	EXTENS. X FURNACES D40 MT	Z7 22036	1	○	○	○
	EXTENSION X FURNACES D40	Z7 22267	1	○	○	○
	EXTENSION X FURNACES D40 MT1 A COMPLETE	Z7 22270	1	○	○	○
	EXTENSION X FURNACES D50	Z7 22271	1	○	○	○
	FLAT LANCE D40 SS316L	4072100148	1	○	○	○
	FLAT LANCE D50 SS316L	4072100149	1	○	○	○
	HANDGRIP D40 AISI316L COMPLETE	4072200596	1	○	○	○
	HANDGRIP D50 AISI316L	4072200597	1	○	○	○
Vac Nozzle Dry						













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	ALUMINIUM NOZZLE 40MM	Z7 22031	1	○	○	○
	ALUMINIUM NOZZLE 50MM	Z7 22032	1	○	○	○
	SUCKER x FURNACES D40	Z7 22272	1	○	○	○
	SUCKER x FURNACES D50 MM4	Z7 22273	1	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX	Z7 22294	1	○	○	○
	MOB. SS NOZZLE+SILICONE	4072400324	1	○	○	○
	MOB. SS NOZZLE+SILICONE FDA YELLOW D40	4072400318	1	○	○	○
	MOBILE SS	4072400314	1	○	○	○
	MOBILE SS	4072400315	1	○	○	○
	MOBILE SS	4072400316	1	○	○	○
	MOBILE SS	4072400319	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
 MOBILE SS	4072400321	1	○	○	○
 MOBILE SS	4072400322	1	○	○	○
 MOBILE SS	4072400325	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400326	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400327	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA D50	4072400320	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D40	4072400317	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D50	4072400323	1	○	○	○
 MOBILE SUCKER RUBBER. 400 MM PACK OF 10	Z8 20295	1	○	○	○
 SILICONE NOZZLE FDA	4072100118	1	○	○	○
 SILICONE NOZZLE FDA	4072100119	1	○	○	○
 SILICONE NOZZLE FDA	4072100121	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
 SILICONE NOZZLE FDA	4072100122	1	○	○	○
 SILICONE NOZZLE FDA	4072100124	1	○	○	○
 SILICONE NOZZLE FDA	4072100125	1	○	○	○
 SILICONE NOZZLE FDA	4072100127	1	○	○	○
 SILICONE NOZZLE FDA	4072100128	1	○	○	○
 SS NOZZLE+COVER FDA	4072400304	1	○	○	○
 SS NOZZLE+COVER FDA	4072400307	1	○	○	○
 SS NOZZLE+COVER FDA	4072400309	1	○	○	○
 SS NOZZLE+COVER FDA	4072400311	1	○	○	○
 SS NOZZLE+COVER FDA	4072400312	1	○	○	○
 SS NOZZLE+COVER FDA	4072400313	1	○	○	○
 SS NOZZLE+COVER FDA GREEN D40	4072400306	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	SS NOZZLE+COVER FDA RED	4072400310	1	○	○	○
	SS NOZZLE+COVER FDA RED D40	4072400305	1	○	○	○
	SS NOZZLE+COVER FDA WHITE D40	4072400308	1	○	○	○
Cone Nozzle						
	SILICONE CONE FDA	4072100115	1	○	○	○
	SILICONE CONE FDA BLUE	4072100106	1	○	○	○
	SILICONE CONE FDA BLUE	4072100112	1	○	○	○
	SILICONE CONE FDA D40	4072100105	1	○	○	○
	SILICONE CONE FDA D50	4072100111	1	○	○	○
	SILICONE CONE FDA GREEN	4072100108	1	○	○	○
	SILICONE CONE FDA GREEN	4072100114	1	○	○	○
	SILICONE CONE FDA RED D40	4072100107	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	SILICONE CONE FDA RED D50	4072100113	1	○	○	○
	SILICONE CONE FDA WHITE	4072100110	1	○	○	○
	SILICONE CONE FDA WHITE	4072100116	1	○	○	○
	SILICONE CONE FDA YELLOW D40	4072100109	1	○	○	○
	SILICONE CONICAL TOOL	4072100133	1	○	○	○
	SILICONE CONICAL TOOL	4072100130	1	○	○	○
	SILICONE CONICAL TOOL	4072100131	1	○	○	○
	SILICONE CONICAL TOOL	4072100132	1	○	○	○
	SILICONE CONICAL TOOL	4072100134	1	○	○	○
	SILICONE CONICAL TOOL FDA D40/20	4072100129	1	○	○	○
Brush						
	RECTANGULAR BRUSH FDA	4072400294	1	○	○	○







Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	RECTANGULAR BRUSH FDA	4072400295	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400297	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400298	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400299	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400300	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400301	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400302	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400303	1	○	○	○
	RECTANGULAR BRUSH FDA GREEN D40	4072400296	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400293	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400284	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400285	1	○	○	○





Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	TRIANGULAR BRUSH FDA	4072400287	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400288	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400289	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400290	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400291	1	○	○	○
	TRIANGULAR BRUSH FDA GREEN D40	4072400286	1	○	○	○
	TRIANGULAR BRUSH FDA YELLOW D50	4072400292	1	○	○	○
Round Brush Nozzle						
	ROUND BRUSH FDA BLUE D38	4072400274	1	○	○	○
	ROUND BRUSH FDA BLUE D50	4072400279	1	○	○	○
	ROUND BRUSH FDA GREEN D40	4072400276	1	○	○	○
	ROUND BRUSH FDA GREEN D50	4072400281	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA AU FM 5PP	T40WPLUS L50 LC Z22 EXA C	T40WPLUS MC LP Z22 EXA
	ROUND BRUSH FDA RED D38	4072400275	1	○	○	○
	ROUND BRUSH FDA RED D50	4072400280	1	○	○	○
	ROUND BRUSH FDA WHITE D38	4072400278	1	○	○	○
	ROUND BRUSH FDA WHITE D50	4072400283	1	○	○	○
	ROUND BRUSH FDA YELLOW	4072400277	1	○	○	○
	ROUND BRUSH FDA YELLOW D50	4072400282	1	○	○	○


● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
Filter						
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner						
	ANT.POL BLACK HOSE D50	Z7 22369	1	○	○	○
	ANT.POL BLACK HOSE D50	Z7 22372	1	○	○	○
	ANT.POL BLACK HOSE D70	Z7 22370	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
 ANTISTATIC HOSE FDA D40	4072400328	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400334	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400338	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400335	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400337	1	○	○	○
 COND. POLYURETH. HOSE D40 3M +SLEEVES	Z7 22368	1	○	○	○
 COND. POLYURETH. HOSE D40 5M +SLEEVES	Z7 22371	1	○	○	○
 COND. POLYURETHAN HOSE D70 5M +SLEEVES	Z7 22373	1	○	○	○
 CONDUCTIVE FLEX HOSE	4072200510	1	○	○	○
 EVAFLEX HOSE D50	Z7 22375	1	○	○	○
 FLEX CONDUCTIVE HOSE D38MT3+SLEEVE38/40	4072200509	1	○	○	○
 FLEXIBLE HOSE D40 MT3	Z7 22378	1	○	○	○






Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	FLEXIBLE STEEL HOSE D70 P	Z7 24033	1	○	○	○
	FLOWING PTFE SLEEVE D40	Z7 20327	1	○	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○	○
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○	○
	HOSE STEEL 100 MM	Z7 24034	1	○	○	○
	METAL TIE FOR HIGH	4082300068	1	○	○	○
	SILICONE HOSE FDA WITH	4072100135	1	○	○	○
	SILICONE HOSE FDA WITH	4072100136	1	○	○	○
	SILICONE HOSE FDA WITH	4072100137	1	○	○	○
	SILICONE HOSE FDA WITH	4072100138	1	○	○	○
	STEEL HOSE D50 3M+RED. 70/50+CONNECTOR	Z7 22379	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER	4089100100	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	HIGH TEMPERATURE KIT 3MT+FLEX HOSE D40	4072200616	1	○	○	○
	HIGH TEMPERATURE KIT+FLEX HOSE D50	4072200617	1	○	○	○
	KIT FOR OVEN CLEANING D50	Z7 24192	1	○	○	○
	KIT FOR OVEN CLEANING D50/40	Z7 24193	1	○	○	○
	KIT INLET FOR PAPER BAG	Z5 60375	1	○	○	○
Vacuum Hose and Connection						
	70MM BENT TUBE	Z7 21032	1	○	○	○
	70MM HOSE FITTING	Z7 21001	1	○	○	○
	70MM JUNCTION FITTING	Z7 21000	1	○	○	○
	BENT TUBE 40MM	Z7 21013	1	○	○	○
	BENT TUBE 50MM	Z7 21012	1	○	○	○
	BENT TUBE REDUCER	Z7 22015	1	○	○	○







Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	IRON REDUCER 70/50	Z7 22001	1	○	○	○
	JUNCTION FITTING 50MM	Z7 21002	1	○	○	○
	REDUCTION D 70/40	Z7 22002	1	○	○	○
	STAINLESS STEEL BENT	Z7 21034	1	○	○	○
Crevice Nozzle						
	500MM IRON CREVICE NOZZLE	Z7 21026	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	IRON FLAT LANCE D.70	Z7 21028	1	○	○	○
	LANCE FITTING D 50 FE	Z7 21075	1	○	○	○
	SCRAPING NOZZLE D40 S.S.	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D40 INOX SS316L	4072100145	1	○	○	○
	BENT CONNECTION D50 INOX SS316L	4072100146	1	○	○	○
	CONNECTION JOINT D40	4072100140	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 INOX SS316L	4072100141	1	○	○	○
	CONNECTION TUBE D50 SS316L	4072100139	1	○	○	○




Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	REDUCER D50/40 INOX	4072100142	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/40 INOX	4072100143	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER D70/50 INOX	4072100144	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○	○
	TIE D40-60	Z8 40040	1	○	○	○
	WYE D50/50/50 INOX SS316L	4072100147	1	○	○	○
Extension Tube						
	1M ALUMINIUM TUBE 40MM	Z7 22008	1	○	○	○
	1M ALUMINIUM TUBE 50MM	Z7 22005	1	○	○	○

Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	2 MT EXTENSION TUBE 50MM	Z7 22268	1	○	○	○
	3MT EXTENSION TUBE 50 MM	Z7 22037	1	○	○	○
	40MM CHROME HANDGRIP	Z7 22121	1	○	○	○
	ALUM.EXTENSION D40 MT1	Z7 22386	1	○	○	○
	ALUM.EXTENSION D40 MT3	Z7 22006	1	○	○	○
	ALUM.EXTENSION D50 MT3	Z7 22003	1	○	○	○
	ALUMINIUM EXTENSION D50	Z7 22385	1	○	○	○
	ALUMINIUM EXTENSION TUBE	Z7 22004	1	○	○	○
	ALUMINIUM EXTENSION TUBE	Z7 22007	1	○	○	○
	CHROMED HANDGRIP 50MM	Z7 22122	1	○	○	○
	EXTENS. X FURNACES D40 MT	Z7 22036	1	○	○	○
	EXTENSION X FURNACES D40	Z7 22267	1	○	○	○










Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
 EXTENSION X FURNACES D40 MT1 A COMPLETE	Z7 22270	1	○	○	○
 EXTENSION X FURNACES D50	Z7 22271	1	○	○	○
 FLAT LANCE D40 SS316L	4072100148	1	○	○	○
 FLAT LANCE D50 SS316L	4072100149	1	○	○	○
 HANDGRIP D40 AISI316L COMPLETE	4072200596	1	○	○	○
 HANDGRIP D50 AISI316L	4072200597	1	○	○	○
Vac Nozzle Dry					
 ALUMINIUM NOZZLE 40MM	Z7 22031	1	○	○	○
 ALUMINIUM NOZZLE 50MM	Z7 22032	1	○	○	○
 SUCKER x FURNACES D40	Z7 22272	1	○	○	○
 SUCKER x FURNACES D50 MM4	Z7 22273	1	○	○	○
Nozzle					
 LIQ. SUCKER D50 MM400 INOX	Z7 22294	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
 MOB. SS NOZZLE+SILICONE	4072400324	1	○	○	○
 MOB. SS NOZZLE+SILICONE FDA YELLOW D40	4072400318	1	○	○	○
 MOBILE SS	4072400314	1	○	○	○
 MOBILE SS	4072400315	1	○	○	○
 MOBILE SS	4072400316	1	○	○	○
 MOBILE SS	4072400319	1	○	○	○
 MOBILE SS	4072400321	1	○	○	○
 MOBILE SS	4072400322	1	○	○	○
 MOBILE SS	4072400325	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400326	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400327	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA D50	4072400320	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
 MOBILE SS NOZZLE+SILICONE FDA GREEN D40	4072400317	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D50	4072400323	1	○	○	○
 MOBILE SUCKER RUBBER. 400 MM PACK OF 10	Z8 20295	1	○	○	○
 SILICONE NOZZLE FDA	4072100118	1	○	○	○
 SILICONE NOZZLE FDA	4072100119	1	○	○	○
 SILICONE NOZZLE FDA	4072100121	1	○	○	○
 SILICONE NOZZLE FDA	4072100122	1	○	○	○
 SILICONE NOZZLE FDA	4072100124	1	○	○	○
 SILICONE NOZZLE FDA	4072100125	1	○	○	○
 SILICONE NOZZLE FDA	4072100127	1	○	○	○
 SILICONE NOZZLE FDA	4072100128	1	○	○	○
 SS NOZZLE+COVER FDA	4072400304	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	SS NOZZLE+COVER FDA	4072400307	1	○	○	○
	SS NOZZLE+COVER FDA	4072400309	1	○	○	○
	SS NOZZLE+COVER FDA	4072400311	1	○	○	○
	SS NOZZLE+COVER FDA	4072400312	1	○	○	○
	SS NOZZLE+COVER FDA	4072400313	1	○	○	○
	SS NOZZLE+COVER FDA GREEN D40	4072400306	1	○	○	○
	SS NOZZLE+COVER FDA RED	4072400310	1	○	○	○
	SS NOZZLE+COVER FDA RED D40	4072400305	1	○	○	○
	SS NOZZLE+COVER FDA WHITE D40	4072400308	1	○	○	○
Cone Nozzle						
	SILICONE CONE FDA	4072100115	1	○	○	○
	SILICONE CONE FDA BLUE	4072100106	1	○	○	○





Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
 SILICONE CONE FDA BLUE	4072100112	1	○	○	○
 SILICONE CONE FDA D40	4072100105	1	○	○	○
 SILICONE CONE FDA D50	4072100111	1	○	○	○
 SILICONE CONE FDA GREEN	4072100108	1	○	○	○
 SILICONE CONE FDA GREEN	4072100114	1	○	○	○
 SILICONE CONE FDA RED D40	4072100107	1	○	○	○
 SILICONE CONE FDA RED D50	4072100113	1	○	○	○
 SILICONE CONE FDA WHITE	4072100110	1	○	○	○
 SILICONE CONE FDA WHITE	4072100116	1	○	○	○
 SILICONE CONE FDA YELLOW D40	4072100109	1	○	○	○
 SILICONE CONICAL TOOL	4072100133	1	○	○	○
 SILICONE CONICAL TOOL	4072100130	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
	SILICONE CONICAL TOOL	4072100131	1	○	○	○
	SILICONE CONICAL TOOL	4072100132	1	○	○	○
	SILICONE CONICAL TOOL	4072100134	1	○	○	○
	SILICONE CONICAL TOOL FDA D40/20	4072100129	1	○	○	○
Brush						
	RECTANGULAR BRUSH FDA	4072400294	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400295	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400297	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400298	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400299	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400300	1	○	○	○
	RECTANGULAR BRUSH FDA	4072400301	1	○	○	○

Health and safety as standard with great airflow in 4 kW












Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
 RECTANGULAR BRUSH FDA	4072400302	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400303	1	○	○	○
 RECTANGULAR BRUSH FDA GREEN D40	4072400296	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400293	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400284	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400285	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400287	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400288	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400289	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400290	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400291	1	○	○	○
 TRIANGULAR BRUSH FDA GREEN D40	4072400286	1	○	○	○

Health and safety as standard with great airflow in 4 kW












Accessories	Ref. no.	Min. required	T40WPLUS MC LP Z22 EXA 5PP	T40WPLUS L100 LC Z21 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C
 TRIANGULAR BRUSH FDA YELLOW D50	4072400292	1	○	○	○
Round Brush Nozzle					
 ROUND BRUSH FDA BLUE D38	4072400274	1	○	○	○
 ROUND BRUSH FDA BLUE D50	4072400279	1	○	○	○
 ROUND BRUSH FDA GREEN D40	4072400276	1	○	○	○
 ROUND BRUSH FDA GREEN D50	4072400281	1	○	○	○
 ROUND BRUSH FDA RED D38	4072400275	1	○	○	○
 ROUND BRUSH FDA RED D50	4072400280	1	○	○	○
 ROUND BRUSH FDA WHITE D38	4072400278	1	○	○	○
 ROUND BRUSH FDA WHITE D50	4072400283	1	○	○	○
 ROUND BRUSH FDA YELLOW	4072400277	1	○	○	○
 ROUND BRUSH FDA YELLOW D50	4072400282	1	○	○	○

Health and safety as standard with great airflow in 4 kW











● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
Filter					
 KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○	○
Hose Vacuum Cleaner					
 ANT.POL BLACK HOSE D50	Z7 22369	1	○	○	○
 ANT.POL BLACK HOSE D50	Z7 22372	1	○	○	○
 ANT.POL BLACK HOSE D70	Z7 22370	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400328	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400334	1	○	○	○
 ANTISTATIC HOSE FDA D40	4072400338	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400335	1	○	○	○
 ANTISTATIC HOSE FDA D50	4072400337	1	○	○	○
 COND. POLYURETH. HOSE D40 3M +SLEEVES	Z7 22368	1	○	○	○
 COND. POLYURETH. HOSE D40 5M +SLEEVES	Z7 22371	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
 COND. POLYURETHAN HOSE D70 5M +SLEEVES	Z7 22373	1	○	○	○
 CONDUCTIVE FLEX HOSE	4072200510	1	○	○	○
 EVAFLEX HOSE D50	Z7 22375	1	○	○	○
 FLEX CONDUCTIVE HOSE D38MT3+SLEEVE38/40	4072200509	1	○	○	○
 FLEXIBLE HOSE D40 MT3	Z7 22378	1	○	○	○
 FLEXIBLE STEEL HOSE D70 P	Z7 24033	1	○	○	○
 FLOWING PTFE SLEEVE D40	Z7 20327	1	○	○	○
 FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○	○
 HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○	○
 HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○	○
 HOSE STEEL 100 MM	Z7 24034	1	○	○	○
METAL TIE FOR HIGH	4082300068	1	○	○	○




Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	SILICONE HOSE FDA WITH	4072100135	1	○	○	○
	SILICONE HOSE FDA WITH	4072100136	1	○	○	○
	SILICONE HOSE FDA WITH	4072100137	1	○	○	○
	SILICONE HOSE FDA WITH	4072100138	1	○	○	○
	STEEL HOSE D50 3M+RED. 70/50+CONNECTOR	Z7 22379	1	○	○	○
Other						
	DOWNSTREAM ULPA FILTER	4089100100	1	○	○	○
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○	○
Accessory Kit						
	HIGH TEMPERATURE KIT 3MT+FLEX HOSE D40	4072200616	1	○	○	○
	HIGH TEMPERATURE KIT+FLEX HOSE D50	4072200617	1	○	○	○
	KIT FOR OVEN CLEANING D50	Z7 24192	1	○	○	○
	KIT FOR OVEN CLEANING D50/40	Z7 24193	1	○	○	○
	KIT INLET FOR PAPER BAG	Z5 60375	1	○	○	○
Vacuum Hose and Connection						













Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	70MM BENT TUBE	Z7 21032	1	○	○	○
	70MM HOSE FITTING	Z7 21001	1	○	○	○
	70MM JUNCTION FITTING	Z7 21000	1	○	○	○
	BENT TUBE 40MM	Z7 21013	1	○	○	○
	BENT TUBE 50MM	Z7 21012	1	○	○	○
	BENT TUBE REDUCER	Z7 22015	1	○	○	○
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○	○
	IRON REDUCER 70/50	Z7 22001	1	○	○	○
	JUNCTION FITTING 50MM	Z7 21002	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	REDUCTION D 70/40	Z7 22002	1	○	○	○
	STAINLESS STEEL BENT	Z7 21034	1	○	○	○
Crevice Nozzle						
	500MM IRON CREVICE NOZZLE	Z7 21026	1	○	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○	○
	IRON FLAT LANCE D.70	Z7 21028	1	○	○	○
	LANCE FITTING D 50 FE	Z7 21075	1	○	○	○
	SCRAPING NOZZLE D40 S.S.	Z7 22277	1	○	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○	○
Hose and Connection						
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○	○
	BENT CONNECTION D40 INOX SS316L	4072100145	1	○	○	○

Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	BENT CONNECTION D50 INOX SS316L	4072100146	1	○	○	○
	CONNECTION JOINT D40	4072100140	1	○	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○	○
	CONNECTION JOINT D50 INOX SS316L	4072100141	1	○	○	○
	CONNECTION TUBE D50 SS316L	4072100139	1	○	○	○
	REDUCER D50/40 INOX	4072100142	1	○	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○	○
	REDUCER D70/40 INOX	4072100143	1	○	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○	○
	REDUCER D70/50 INOX	4072100144	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	TIE D40-60	Z8 40040	1	○	○	○
	WYE D50/50/50 INOX SS316L	4072100147	1	○	○	○
Extension Tube						
	1M ALUMINIUM TUBE 40MM	Z7 22008	1	○	○	○
	1M ALUMINIUM TUBE 50MM	Z7 22005	1	○	○	○
	2 MT EXTENSION TUBE 50MM	Z7 22268	1	○	○	○
	3MT EXTENSION TUBE 50 MM	Z7 22037	1	○	○	○
	40MM CHROME HANDGRIP	Z7 22121	1	○	○	○
	ALUM.EXTENSION D40 MT1	Z7 22386	1	○	○	○
	ALUM.EXTENSION D40 MT3	Z7 22006	1	○	○	○
	ALUM.EXTENSION D50 MT3	Z7 22003	1	○	○	○
	ALUMINIUM EXTENSION D50	Z7 22385	1	○	○	○


Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	ALUMINIUM EXTENSION TUBE	Z7 22004	1	○	○	○
	ALUMINIUM EXTENSION TUBE	Z7 22007	1	○	○	○
	CHROMED HANDGRIP 50MM	Z7 22122	1	○	○	○
	EXTENS. X FURNACES D40 MT	Z7 22036	1	○	○	○
	EXTENSION X FURNACES D40	Z7 22267	1	○	○	○
	EXTENSION X FURNACES D40 MT1 A COMPLETE	Z7 22270	1	○	○	○
	EXTENSION X FURNACES D50	Z7 22271	1	○	○	○
	FLAT LANCE D40 SS316L	4072100148	1	○	○	○
	FLAT LANCE D50 SS316L	4072100149	1	○	○	○
	HANDGRIP D40 AISI316L COMPLETE	4072200596	1	○	○	○
	HANDGRIP D50 AISI316L	4072200597	1	○	○	○
Vac Nozzle Dry						













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	ALUMINIUM NOZZLE 40MM	Z7 22031	1	○	○	○
	ALUMINIUM NOZZLE 50MM	Z7 22032	1	○	○	○
	SUCKER x FURNACES D40	Z7 22272	1	○	○	○
	SUCKER x FURNACES D50 MM4	Z7 22273	1	○	○	○
Nozzle						
	LIQ.SUCKER D50 MM400 INOX	Z7 22294	1	○	○	○
	MOB. SS NOZZLE+SILICONE	4072400324	1	○	○	○
	MOB. SS NOZZLE+SILICONE FDA YELLOW D40	4072400318	1	○	○	○
	MOBILE SS	4072400314	1	○	○	○
	MOBILE SS	4072400315	1	○	○	○
	MOBILE SS	4072400316	1	○	○	○
	MOBILE SS	4072400319	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
 MOBILE SS	4072400321	1	○	○	○
 MOBILE SS	4072400322	1	○	○	○
 MOBILE SS	4072400325	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400326	1	○	○	○
 MOBILE SS NOZZLE FDA	4072400327	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA D50	4072400320	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D40	4072400317	1	○	○	○
 MOBILE SS NOZZLE+SILICONE FDA GREEN D50	4072400323	1	○	○	○
 MOBILE SUCKER RUBBER. 400 MM PACK OF 10	Z8 20295	1	○	○	○
 SILICONE NOZZLE FDA	4072100118	1	○	○	○
 SILICONE NOZZLE FDA	4072100119	1	○	○	○
 SILICONE NOZZLE FDA	4072100121	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
 SILICONE NOZZLE FDA	4072100122	1	○	○	○
 SILICONE NOZZLE FDA	4072100124	1	○	○	○
 SILICONE NOZZLE FDA	4072100125	1	○	○	○
 SILICONE NOZZLE FDA	4072100127	1	○	○	○
 SILICONE NOZZLE FDA	4072100128	1	○	○	○
 SS NOZZLE+COVER FDA	4072400304	1	○	○	○
 SS NOZZLE+COVER FDA	4072400307	1	○	○	○
 SS NOZZLE+COVER FDA	4072400309	1	○	○	○
 SS NOZZLE+COVER FDA	4072400311	1	○	○	○
 SS NOZZLE+COVER FDA	4072400312	1	○	○	○
 SS NOZZLE+COVER FDA	4072400313	1	○	○	○
 SS NOZZLE+COVER FDA GREEN D40	4072400306	1	○	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	SS NOZZLE+COVER FDA RED	4072400310	1	○	○	○
	SS NOZZLE+COVER FDA RED D40	4072400305	1	○	○	○
	SS NOZZLE+COVER FDA WHITE D40	4072400308	1	○	○	○
Cone Nozzle						
	SILICONE CONE FDA	4072100115	1	○	○	○
	SILICONE CONE FDA BLUE	4072100106	1	○	○	○
	SILICONE CONE FDA BLUE	4072100112	1	○	○	○
	SILICONE CONE FDA D40	4072100105	1	○	○	○
	SILICONE CONE FDA D50	4072100111	1	○	○	○
	SILICONE CONE FDA GREEN	4072100108	1	○	○	○
	SILICONE CONE FDA GREEN	4072100114	1	○	○	○
	SILICONE CONE FDA RED D40	4072100107	1	○	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	SILICONE CONE FDA RED D50	4072100113	1	○	○	○
	SILICONE CONE FDA WHITE	4072100110	1	○	○	○
	SILICONE CONE FDA WHITE	4072100116	1	○	○	○
	SILICONE CONE FDA YELLOW D40	4072100109	1	○	○	○
	SILICONE CONICAL TOOL	4072100133	1	○	○	○
	SILICONE CONICAL TOOL	4072100130	1	○	○	○
	SILICONE CONICAL TOOL	4072100131	1	○	○	○
	SILICONE CONICAL TOOL	4072100132	1	○	○	○
	SILICONE CONICAL TOOL	4072100134	1	○	○	○
	SILICONE CONICAL TOOL FDA D40/20	4072100129	1	○	○	○
Brush						
	RECTANGULAR BRUSH FDA	4072400294	1	○	○	○







Health and safety as standard with great airflow in 4 kW

Accessories	Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
 RECTANGULAR BRUSH FDA	4072400295	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400297	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400298	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400299	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400300	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400301	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400302	1	○	○	○
 RECTANGULAR BRUSH FDA	4072400303	1	○	○	○
 RECTANGULAR BRUSH FDA GREEN D40	4072400296	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400293	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400284	1	○	○	○
 TRIANGULAR BRUSH FDA	4072400285	1	○	○	○





Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	TRIANGULAR BRUSH FDA	4072400287	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400288	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400289	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400290	1	○	○	○
	TRIANGULAR BRUSH FDA	4072400291	1	○	○	○
	TRIANGULAR BRUSH FDA GREEN D40	4072400286	1	○	○	○
	TRIANGULAR BRUSH FDA YELLOW D50	4072400292	1	○	○	○
Round Brush Nozzle						
	ROUND BRUSH FDA BLUE D38	4072400274	1	○	○	○
	ROUND BRUSH FDA BLUE D50	4072400279	1	○	○	○
	ROUND BRUSH FDA GREEN D40	4072400276	1	○	○	○
	ROUND BRUSH FDA GREEN D50	4072400281	1	○	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L100 LC Z22 EXA SE FM 5PP	T40WPLUS HC LP Z22 EXA 5PP	T40WPLUS L100 LC Z22 EXA AD C 5PP
	ROUND BRUSH FDA RED D38	4072400275	1	○	○	○
	ROUND BRUSH FDA RED D50	4072400280	1	○	○	○
	ROUND BRUSH FDA WHITE D38	4072400278	1	○	○	○
	ROUND BRUSH FDA WHITE D50	4072400283	1	○	○	○
	ROUND BRUSH FDA YELLOW	4072400277	1	○	○	○
	ROUND BRUSH FDA YELLOW D50	4072400282	1	○	○	○












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
Filter					
	KIT ANTISTATIC STAR FILTER D460	40000425	1	○	○
Hose Vacuum Cleaner					
	ANT.POL BLACK HOSE D50	Z7 22369	1	○	○
	ANT.POL BLACK HOSE D50	Z7 22372	1	○	○
	ANT.POL BLACK HOSE D70	Z7 22370	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	ANTISTATIC HOSE FDA D40	4072400328	1	○	○
	ANTISTATIC HOSE FDA D40	4072400334	1	○	○
	ANTISTATIC HOSE FDA D40	4072400338	1	○	○
	ANTISTATIC HOSE FDA D50	4072400335	1	○	○
	ANTISTATIC HOSE FDA D50	4072400337	1	○	○
	COND. POLYURETH. HOSE D40 3M +SLEEVES	Z7 22368	1	○	○
	COND. POLYURETH. HOSE D40 5M +SLEEVES	Z7 22371	1	○	○
	COND. POLYURETHAN HOSE D70 5M +SLEEVES	Z7 22373	1	○	○
	CONDUCTIVE FLEX HOSE	4072200510	1	○	○
	EVAFLEX HOSE D50	Z7 22375	1	○	○
	FLEX CONDUCTIVE HOSE D38MT3+SLEEVE38/40	4072200509	1	○	○
	FLEXIBLE HOSE D40 MT3	Z7 22378	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	FLEXIBLE STEEL HOSE D70 P	Z7 24033	1	○	○
	FLOWING PTFE SLEEVE D40	Z7 20327	1	○	○
	FLOWING PTFE SLEEVE D50	Z7 20326	1	○	○
	HOSE FDA D40 5M + SLEEVES	4072400336	1	○	○
	HOSE FDA D50 10M + SLEEVES	4072400339	1	○	○
	HOSE STEEL 100 MM	Z7 24034	1	○	○
	METAL TIE FOR HIGH	4082300068	1	○	○
	SILICONE HOSE FDA WITH	4072100135	1	○	○
	SILICONE HOSE FDA WITH	4072100136	1	○	○
	SILICONE HOSE FDA WITH	4072100137	1	○	○
	SILICONE HOSE FDA WITH	4072100138	1	○	○
	STEEL HOSE D50 3M+RED. 70/50+CONNECTOR	Z7 22379	1	○	○
Other					
	DOWNSTREAM ULPA FILTER	4089100100	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	HARMONIC SPRINGPIN LINK	Z7 20328	1	○	○
Accessory Kit					
	HIGH TEMPERATURE KIT 3MT+FLEX HOSE D40	4072200616	1	○	○
	HIGH TEMPERATURE KIT+FLEX HOSE D50	4072200617	1	○	○
	KIT FOR OVEN CLEANING D50	Z7 24192	1	○	○
	KIT FOR OVEN CLEANING D50/40	Z7 24193	1	○	○
	KIT INLET FOR PAPER BAG	Z5 60375	1	○	○
Vacuum Hose and Connection					
	70MM BENT TUBE	Z7 21032	1	○	○
	70MM HOSE FITTING	Z7 21001	1	○	○
	70MM JUNCTION FITTING	Z7 21000	1	○	○
	BENT TUBE 40MM	Z7 21013	1	○	○
	BENT TUBE 50MM	Z7 21012	1	○	○
	BENT TUBE REDUCER	Z7 22015	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	CONNECTION JOINT D40 FE	Z7 21004	1	○	○
	CONNECTION JOINT D50 INOX	Z7 22241	1	○	○
	CONNECTION JOINT D70 INOX	Z7 22242	1	○	○
	CONNECTION TUBE D70 INOX	Z7 22231	1	○	○
	IRON REDUCER 70/50	Z7 22001	1	○	○
	JUNCTION FITTING 50MM	Z7 21002	1	○	○
	REDUCTION D 70/40	Z7 22002	1	○	○
	STAINLESS STEEL BENT	Z7 21034	1	○	○
Crevice Nozzle					
	500MM IRON CREVICE NOZZLE	Z7 21026	1	○	○
	FLAT LANCE D40 ZINC PLT.	Z7 21027	1	○	○
	FLAT LANCE D50/40 ZINC PLT.	Z7 22021	1	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	IRON FLAT LANCE D.70	Z7 21028	1	○	○
	LANCE FITTING D 50 FE	Z7 21075	1	○	○
	SCRAPING NOZZLE D40 S.S.	Z7 22277	1	○	○
	SCRAPING SUCKER D50 INOX	Z7 22278	1	○	○
Hose and Connection					
	BENT CONNECTION D40 INOX	Z7 21033	1	○	○
	BENT CONNECTION D40 INOX SS316L	4072100145	1	○	○
	BENT CONNECTION D50 INOX SS316L	4072100146	1	○	○
	CONNECTION JOINT D40	4072100140	1	○	○
	CONNECTION JOINT D40 INOX	Z7 22240	1	○	○
	CONNECTION JOINT D50 INOX SS316L	4072100141	1	○	○
	CONNECTION TUBE D50 SS316L	4072100139	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	REDUCER D50/40 INOX	4072100142	1	○	○
	REDUCER D70/40 INOX	Z7 22224	1	○	○
	REDUCER D70/40 INOX	4072100143	1	○	○
	REDUCER D70/50 INOX	Z7 22225	1	○	○
	REDUCER D70/50 INOX	4072100144	1	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D40	4072000358	1	○	○
	SLEEVE FOR ANTISTATIC HOSE FDA D50	4072000359	1	○	○
	TIE D40-60	Z8 40040	1	○	○
	WYE D50/50/50 INOX SS316L	4072100147	1	○	○
Extension Tube					
	1M ALUMINIUM TUBE 40MM	Z7 22008	1	○	○
	1M ALUMINIUM TUBE 50MM	Z7 22005	1	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	2 MT EXTENSION TUBE 50MM	Z7 22268	1	○	○
	3MT EXTENSION TUBE 50 MM	Z7 22037	1	○	○
	40MM CHROME HANDGRIP	Z7 22121	1	○	○
	ALUM.EXTENSION D40 MT1	Z7 22386	1	○	○
	ALUM.EXTENSION D40 MT3	Z7 22006	1	○	○
	ALUM.EXTENSION D50 MT3	Z7 22003	1	○	○
	ALUMINIUM EXTENSION D50	Z7 22385	1	○	○
	ALUMINIUM EXTENSION TUBE	Z7 22004	1	○	○
	ALUMINIUM EXTENSION TUBE	Z7 22007	1	○	○
	CHROMED HANDGRIP 50MM	Z7 22122	1	○	○
	EXTENS. X FURNACES D40 MT	Z7 22036	1	○	○
	EXTENSION X FURNACES D40	Z7 22267	1	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	EXTENSION X FURNACES D40 MT1 A COMPLETE	Z7 22270	1	○	○
	EXTENSION X FURNACES D50	Z7 22271	1	○	○
	FLAT LANCE D40 SS316L	4072100148	1	○	○
	FLAT LANCE D50 SS316L	4072100149	1	○	○
	HANDGRIP D40 AISI316L COMPLETE	4072200596	1	○	○
	HANDGRIP D50 AISI316L	4072200597	1	○	○
Vac Nozzle Dry					
	ALUMINIUM NOZZLE 40MM	Z7 22031	1	○	○
	ALUMINIUM NOZZLE 50MM	Z7 22032	1	○	○
	SUCKER x FURNACES D40	Z7 22272	1	○	○
	SUCKER x FURNACES D50 MM4	Z7 22273	1	○	○
Nozzle					
	LIQ. SUCKER D50 MM400 INOX	Z7 22294	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	MOB. SS NOZZLE+SILICONE	4072400324	1	○	○
	MOB. SS NOZZLE+SILICONE FDA YELLOW D40	4072400318	1	○	○
	MOBILE SS	4072400314	1	○	○
	MOBILE SS	4072400315	1	○	○
	MOBILE SS	4072400316	1	○	○
	MOBILE SS	4072400319	1	○	○
	MOBILE SS	4072400321	1	○	○
	MOBILE SS	4072400322	1	○	○
	MOBILE SS	4072400325	1	○	○
	MOBILE SS NOZZLE FDA	4072400326	1	○	○
	MOBILE SS NOZZLE FDA	4072400327	1	○	○
	MOBILE SS NOZZLE+SILICONE FDA D50	4072400320	1	○	○













Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	MOBILE SS NOZZLE+SILICONE FDA GREEN D40	4072400317	1	○	○
	MOBILE SS NOZZLE+SILICONE FDA GREEN D50	4072400323	1	○	○
	MOBILE SUCKER RUBBER. 400 MM PACK OF 10	Z8 20295	1	○	○
	SILICONE NOZZLE FDA	4072100118	1	○	○
	SILICONE NOZZLE FDA	4072100119	1	○	○
	SILICONE NOZZLE FDA	4072100121	1	○	○
	SILICONE NOZZLE FDA	4072100122	1	○	○
	SILICONE NOZZLE FDA	4072100124	1	○	○
	SILICONE NOZZLE FDA	4072100125	1	○	○
	SILICONE NOZZLE FDA	4072100127	1	○	○
	SILICONE NOZZLE FDA	4072100128	1	○	○
	SS NOZZLE+COVER FDA	4072400304	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	SS NOZZLE+COVER FDA	4072400307	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA	4072400309	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA	4072400311	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA	4072400312	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA	4072400313	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA GREEN D40	4072400306	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA RED	4072400310	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA RED D40	4072400305	1	<input type="radio"/>	<input type="radio"/>
	SS NOZZLE+COVER FDA WHITE D40	4072400308	1	<input type="radio"/>	<input type="radio"/>
Cone Nozzle					
	SILICONE CONE FDA	4072100115	1	<input type="radio"/>	<input type="radio"/>
	SILICONE CONE FDA BLUE	4072100106	1	<input type="radio"/>	<input type="radio"/>













Health and safety as standard with great airflow in 4 kW

	Accessories	Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	SILICONE CONE FDA BLUE	4072100112	1	○	○
	SILICONE CONE FDA D40	4072100105	1	○	○
	SILICONE CONE FDA D50	4072100111	1	○	○
	SILICONE CONE FDA GREEN	4072100108	1	○	○
	SILICONE CONE FDA GREEN	4072100114	1	○	○
	SILICONE CONE FDA RED D40	4072100107	1	○	○
	SILICONE CONE FDA RED D50	4072100113	1	○	○
	SILICONE CONE FDA WHITE	4072100110	1	○	○
	SILICONE CONE FDA WHITE	4072100116	1	○	○
	SILICONE CONE FDA YELLOW D40	4072100109	1	○	○
	SILICONE CONICAL TOOL	4072100133	1	○	○
	SILICONE CONICAL TOOL	4072100130	1	○	○












Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	SILICONE CONICAL TOOL	4072100131	1	<input type="radio"/>	<input type="radio"/>
	SILICONE CONICAL TOOL	4072100132	1	<input type="radio"/>	<input type="radio"/>
	SILICONE CONICAL TOOL	4072100134	1	<input type="radio"/>	<input type="radio"/>
	SILICONE CONICAL TOOL FDA D40/20	4072100129	1	<input type="radio"/>	<input type="radio"/>
Brush					
	RECTANGULAR BRUSH FDA	4072400294	1	<input type="radio"/>	<input type="radio"/>
	RECTANGULAR BRUSH FDA	4072400295	1	<input type="radio"/>	<input type="radio"/>
	RECTANGULAR BRUSH FDA	4072400297	1	<input type="radio"/>	<input type="radio"/>
	RECTANGULAR BRUSH FDA	4072400298	1	<input type="radio"/>	<input type="radio"/>
	RECTANGULAR BRUSH FDA	4072400299	1	<input type="radio"/>	<input type="radio"/>
	RECTANGULAR BRUSH FDA	4072400300	1	<input type="radio"/>	<input type="radio"/>
	RECTANGULAR BRUSH FDA	4072400301	1	<input type="radio"/>	<input type="radio"/>

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	RECTANGULAR BRUSH FDA	4072400302	1	○	○
	RECTANGULAR BRUSH FDA	4072400303	1	○	○
	RECTANGULAR BRUSH FDA GREEN D40	4072400296	1	○	○
	TRIANGULAR BRUSH FDA	4072400293	1	○	○
	TRIANGULAR BRUSH FDA	4072400284	1	○	○
	TRIANGULAR BRUSH FDA	4072400285	1	○	○
	TRIANGULAR BRUSH FDA	4072400287	1	○	○
	TRIANGULAR BRUSH FDA	4072400288	1	○	○
	TRIANGULAR BRUSH FDA	4072400289	1	○	○
	TRIANGULAR BRUSH FDA	4072400290	1	○	○
	TRIANGULAR BRUSH FDA	4072400291	1	○	○
	TRIANGULAR BRUSH FDA GREEN D40	4072400286	1	○	○

Health and safety as standard with great airflow in 4 kW

Accessories		Ref. no.	Min. required	T40WPLUS L50 LC Z22 EXA C RS	T40WPLUS HC LP Z21 EXA
	TRIANGULAR BRUSH FDA YELLOW D50	4072400292	1	○	○
Round Brush Nozzle					
	ROUND BRUSH FDA BLUE D38	4072400274	1	○	○
	ROUND BRUSH FDA BLUE D50	4072400279	1	○	○
	ROUND BRUSH FDA GREEN D40	4072400276	1	○	○
	ROUND BRUSH FDA GREEN D50	4072400281	1	○	○
	ROUND BRUSH FDA RED D38	4072400275	1	○	○
	ROUND BRUSH FDA RED D50	4072400280	1	○	○
	ROUND BRUSH FDA WHITE D38	4072400278	1	○	○
	ROUND BRUSH FDA WHITE D50	4072400283	1	○	○
	ROUND BRUSH FDA YELLOW	4072400277	1	○	○
	ROUND BRUSH FDA YELLOW D50	4072400282	1	○	○