

Rugged construction for any cleaning job securing you maximum performance

Lightweight and portable, the Nilfisk GM80B provides durability, high performance and efficient cleaning.

The sturdy aluminium container means that the vacuum cleaner is almost indestructible and therefore especially suitable for rough and heavy duty cleaning.

Designed for the times when you need great suction power and ease of use.


GM80B is a versatile vacuum with high suction power and can be used for both industry cleaning and integrated into production facilities. The unique multi-stage filtration system allows for adaption to special applications where high filtration level and low emission is required. Choose between two types of dust bags (fleece or paper), four different washable sack filters (Polyester, Cotton, PTFE or Nomex) and special exhaust filters with HEPA or ULPA classification. GM80B can handle every heavy duty cleaning task and has become a vacuum cleaner icon in variety of industries.

- HEPA or ULPA absolute filter version
- Aluminium construction for enhanced durability
- Light in weight, heavy duty in performance
- 12 L container capacity, 6.5L dustbag capacity
- One year commercial warranty



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	GM80P BASIC	GM80P WITH RUBBER HOSE 2.0 M (PRNT)
Hose and Connection					
	EXTENSION TUBE D32	11112401	2	•	•
	HOSE 38/32MM 2M STEEL BENT END	12097500	1	•	•
Nozzle					
	ROUND BRUSH Ø32	147 1385 500	0		
Filter					
	DIFFUSER FILTERS 2 PCS	11693700	1	•	•
	FILTER COTTON GS/GM 80	61543000	0	•	•
Tube					
	BENT TUBE(32)STEEL	21112600	0	•	•
	TUBE BENT END D32 STEEL	107402630	0		

Rugged construction for any cleaning job securing you maximum performance

Model	GM80P BASIC	GM80P WITH RUBBER HOSE 2.0 M (PRNT)
Ref. no.	GM80B	GM80PR

PRODUCT FEATURES

Dust bag, 3 pcs.	•	
Detachable cord	•	
With fixed cable		
Robust steel chassis	•	•
Low working sound level	•	•
Fleece filter bag		
Downstream HEPA filter		
Downstream ULPA filtration		
Washable filter	•	•
L-class hazardous dust approval		






Technical specifications	GM80P BASIC	GM80P WITH RUBBER HOSE 2.0 M (PRNT)
Energy efficiency class	-	-
Annual energy consumption (kWh/year)	-	-
Dust pick up on carpet	-	-
Dust pick up on hard floor	-	-
Dust re-emission class	-	-
Sound power level dB(A) IEC/EN 60335-2-69	-	-
Cable length (m)/ plug type	10/ AUS-NZ	10/ AUS-NZ
Grounded	No	No
Approval	RCM	RCM
Voltage (V)	220-240	220-240
Frequency (Hz)	50/60	50/60
Protection class (Electrical)	II	II
IP protection class	IP20	IP20
Rated power (W)	1200	1200
Suction power end of tube (W)	270	270
Airflow without hose (L/sec)	38	38
Vacuum max (kPa)	27	27
Sound pressure level (dB(A))	61	61
Container capacity (L)	12.25	12.25
Dust bag capacity (L)	6.25	6.25
Main filter type	COTTON	COTTON

NILFISK







Rugged construction for any cleaning job securing you maximum performance

Technical specifications	GM80P BASIC	GM80P WITH RUBBER HOSE 2.0 M (PRNT)
Main filter area (cm ²)	2100	2100
Inlet (mm)	38	38
Length x width x height (mm)	390x300x410	390x300x410
Weight (kg)	8	8







● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	GM80P BASIC	GM80P WITH RUBBER HOSE 2.0 M (PRNT)
Round Brush Nozzle				
 NOZZLE BRUSH 38MM 100	10989000	0	○	○
ROUND BRUSH BLACK KING	22352000	0	○	○
Hose and Connection				
EXTENSION TUBE D32	11112401	2	●	●
HOSE 38/32MM 2M PLAST BENT END	12041500	0	○	○
HOSE 38/32MM 2M STEEL BENT END	12097500	1	●	●
 HOSE CPL	22301500	0	○	○
 TELESCOPIC TUBE 1130MM D32	81906500	0	○	○
Nozzle				
BRUSH NOZZLE.32 400MM	11476301	0	○	○
NOZZLE CARPET32/280	11276800	0	○	○
NOZZLE WITH RAILR FOR 32MM	82366900	0	○	○
 NOZZLE. CARPET 32 400MM	11476200	0	○	○
 ROUND BRUSH Ø32	147 1385 500	0		
Nozzle - Vacuum				
BRUSH ROUND GREY 100 NATU	11276901	0	○	○

Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM80P BASIC	GM80P WITH RUBBER HOSE 2.0 M (PRNT)
	CREVICE NOZZLE BLACK	22302100	0	○	○
	CREVICE NOZZLE KIT	81140900	0	○	○
	HARD FLOOR NOZZLE BLACK	22351400	1	○	○
	TURBO NOZZLE BLACK. Ø 32X300 MM	22360000	0	○	○
	UPHOLSTERY NOZZLE D32 GREY	32043700	0	○	○
Vac Nozzle Dry					
	BRUSH NOZZLE32 280MM	11426700	0	○	○
Accessory					
	BLOWING COUPLING GS/GM80 BLACK	11562000	0	○	○
Dust Bag and Filter					
	DUST BAG 6.5 LITRES 5 PCS IN POLYBAG	81620000	0	○	○
	DUST BAG FLEECE GM 80P 5 PCS	107418525	0		
	FILTER GS/GM 80/81 POLY K	62348600	1	○	○
	MICRO-STATIC FILTER 2 PCS	11641000	0	○	○
Filter					
	DIFFUSER FILTERS 2 PCS	11693700	1	●	●
	EXHAUST FILTER KIT WO.	11731003	0	○	○
	EXHAUST WITH DIFFUSER	21573001	0	○	○
	FILTER 8214 GS/GM80/-81 IVT/C	61909800	0	○	○
	FILTER COTTON GS/GM 80	61543000	0	●	●
	FILTER ELEMENT HEPA GS/GM KIT	21738000	0	○	○
	FILTER ELEMENT ULPA GS/GM KIT	21739000	0	○	○

Rugged construction for any cleaning job securing you maximum performance

Accessories		Ref. no.	Min. required	GM80P BASIC	GM80P WITH RUBBER HOSE 2.0 M (PRNT)
	GORE TEX -NO-STAT. FILT.	62048000	0	○	○
	MOTOR PROTECTION FILTER	11730410	0	○	○
Hose Vacuum Cleaner					
	HOSE 38/32MM 2M RUBBER	11717000	1	○	○
	HOSE CPL. GM 80 LE	140 8484 000	1		
	HOSE DRY MOP 38MM-3MT	62139100	0	○	○
	PLASTIC HOSE 80P/90C	62149000	0	○	○
Tube					
	BENT TUBE(32)STEEL	21112600	0	●	●
	TUBE BENT END D32 STEEL	107402630	0		
Flexible Nozzle (IVT)					
	FLEXIBLE NOZZLE 240MM D32MM CR	81141101	0	○	○
	FLEXIBLE NOZZLE 240MM D32MM NBR ANTISTAT	81932600	0	○	○
Crevice Nozzle					
	CREVICE NOZZLE	010 3098 500	0	○	○
	CREVICE NOZZLE D32 LENGTH 245MM	81530400	0	○	○
	CREVICE NOZZLE FLAT D32X360 MM	81141200	0	○	○
Combination Nozzle					
	COMBI NOZZLE ROLLER PC D32	140 8492 510	0	○	○